

The Tineoidea of Morocco (Lepidoptera: Meessiidae, Tineidae)

R. Gaedike

Abstract

As a result of the study of Tineoidea collected in Morocco, it was possible to establish the occurrence of 72 species (9 Meessiidae and 63 Tineidae). One species is described as new: *Anomalotinea tabelli* Gaedike, sp. n..

KEY WORDS: Lepidoptera, Tineoidea, Meessiidae, Tineidae, new species, Morocco.

Los Tineoidea de Marruecos (Lepidoptera: Meessiidae, Tineidae)

Resumen

Como resultado del estudio de Tineoidea colectados en Marruecos, fue posible establecer la presencia de 72 especies (9 Meessiidae y 63 Tineidae). Se describe una especie como nueva *Anomalotinea tabelli* Gaedike, sp. n..

PALABRAS CLAVE: Lepidoptera, Tineoidea, Meessiidare, Tineidae, nueva especie, Marruecos.

Introduction

The kindness of Lauri Kaila, Finnish Museum of Natural History, Helsinki, enabled me to study interesting material from Morocco, collected during recent years. The study prompted me to collate the records of the Tineoidea hitherto found in Morocco. The examined material, sent for determination to my predecessor G. Petersen and me in the past, is deposited in numerous collections (see abbreviations). The names of localities are written as they are on the labels.

Abbreviations

AZD	Aqua-Zoo, Düsseldorf, Germany
coll. Baldizzone	Giorgio Baldizzone, Asti, Italy
coll. Bettag	Erich Bettag, Dudenhofen, Germany
coll. de Prins	Willy de Prins, Brussels, Belgium
coll. Werno	Andreas Werno, Neunkirchen, Germany
FMNH	Finnish Museum of Natural History, Helsinki, Finland
MNHN	Muséum National d'Histoire Naturelle, Paris, France
MNVD	Museum für Naturkunde und Vorgeschichte, Dessau, Germany
NMW	Naturhistorisches Museum, Vienna, Austria
SDEI	Senckenberg Deutsches Entomologisches Institut, Müncheberg, Germany
SMNK	Staatliches Museum für Naturkunde, Karlsruhe, Germany
SMNS	Staatliches Museum für Naturkunde, Stuttgart, Germany

ZMHB	Museum für Naturkunde, Leibniz-Institut für Evolutions- und Biodiversitätsforschung, Berlin, Germany
ZMUC	Zoological Museum, Copenhagen, Denmark
ZSM	Zoologische Staatssammlung, Munich, Germany

MEESSIIDAE

Tenaga nigripunctella (Haworth, 1828)
PETERSEN (1962); - PETERSEN & GAEDIKE (1979).

Infurcitinea marcunella (Rebel, 1901)
PETERSEN (1962); - PETERSEN & GAEDIKE (1979).

Infurcitinea frustigerella (Walsingham, 1907)

Examined material: Smimou, 1 ♂, 15-III-1974, leg. R. and E. Bender (SMNK); 7 km östlich [East of] Mogador, 1 ♂, 13-14-III-1974, leg. Friedel (SMNK); Moyen Atlas, Prov. Meknès, Ifrane, 2 ♂♂, 28-IV-11-V-1967, leg. De Lajonquière (MNHN); Meknès-Tafilalet, 33°27'20"N, 5°2'18"W, Ifrane, 1920 m, 3 ♂♂, 9-V-2011, leg. J. and A. Kullberg (FMNH); Prov. Ifrane, Michlifen, 2 ♂♂, 9-10-V-2010, leg. J. Kullberg and Z. Kolev (FMNH); Tafraout, 1000 m, 1 ♂, 23-24-III-2005, leg. O. Karsholt (ZMUC).

Infurcitinea italicoides Gaedike, 2009

GAEDIKE (2009): Type localities: Imilil; Anezi; Arbaa Sahel.

Examined material: Ht. Atlas, Toublat-Massiv, Tamatert near Imilil, 2400 m, 31°9'N, 7°53'W, 2 ♂♂, 27-VII-2008, leg. A. Steiner (SMNK); Agadir, 21 km N, 635 m, 2 ♂♂, 22-V-2010, leg. Werno (coll. Werno); Agadir, 20 km N, 8 ♂♂, 25-IV-2014, leg. W. Mey (ZMHB); High Atlas, Ourigane, 10 km W, 7 ♂♂, 30-V-3-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); High Atlas, Ljoukak, 18 km SW, 1300-1500 m, 1 ♂, 2-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); Anti Atlas, Ait Mansour, 1410 m, 1 ♂, 31-V-2010, leg. Werno (coll. Werno).

Infurcitinea atrifasciella (Staudinger, 1871)

PETERSEN & GAEDIKE (1979).

Examined material: Taroudanut, 1 ♂, 21-V-1986, leg. Curletti, (coll. Baldizzone); Tizi n'Test, 1900 m, 1 ♀, 26-V-1985, leg. Sama (coll. Baldizzone); dint. Khenitra, 2 ♀♀, 1-V-1990, leg. Bassi; Olmi & Scaramozzino (coll. Baldizzone); El Ksiba, 32°31'39"N, 06°01'13"W, 2 ♂♂, 1 ♀, 26-V-2005, leg. Werno (coll. Werno); Tahanaoute, 31°15'49"N, 07°52'50"W, 1 ♀, 20-V-2005, leg. Werno (coll. Werno); Oukaimden, 2600 m, 31°12'14"N, 07°51'42"W, 1 ♀, 23-V-2005, leg. Werno (coll. Werno); Oukaimden area, 31°10'N, 07°50'W, 2815 m, 1 ♀, 28-VII-2008, leg. A. Steiner (SMNK); Marrakesch-Tensift-Al-Haouz-Asguine, 1 ♂, 26-V-2010, leg. Werno (coll. Werno); Al Haouz, Ourika, 31°50'N, 7°40'W, 1 ♂, 1 ♀, 14-V-2011, leg. J. and A. Kullberg (FMNH); High Atlas, Ourigane, 10 km W, 1 ♂, 30-V-3-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); Prov. Azilal, Aïl Bouzid, 14 ♂♂, 2 ♀♀, 30-IV-7-V-2015, leg. J. Kullberg (FMNH).

Infurcitinea maroccana Petersen & Gaedike, 1979

PETERSEN & GAEDIKE (1979): Type location: Oukaim'den.

Infurcitinea incertula (Meyrick, 1928)

MEYRICK (1928): Type locality: Tinmel; - GAEDIKE (2009).

Examined material: Marrakesch-Tensift-Al-Haouz, Tizi-n-Ted, 2045 m, 2 ♂♂, 23-V-2010, leg. Werno (coll. Werno); Agadir, 21 km N, 635 m, 1 ♀, 22-V-2010, leg. Werno (coll. Werno); High Atlas, 12 km SW Ljoukak, 1300 m, 4 ♂♂, 1 ♀, 5-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); Anti Atlas, Tafraout, 12 km E, 1590 m, 1 ♂, 27-IV-2013, leg. J. Tabell (FMNH).

Infurcitinea parincertula Gaedike, 2019

GAEDIKE (2019a): Type locality: Ourigane.

Infurcitinea maura Petersen, 1962

PETERSEN (1962): Type locality: Tangier; - GAEDIKE (2009).

TINEIDAE

Hapsifera multiguttella (Ragonot, 1895)

Examined material: Moyen Atlas, Beni Mellal, 1 ♂, VII-1972, leg. Friedel (SMNK); Prov. Tadla-Azilal, 7 km N Beni Mellal, 600 m, 1 ♂, 1 ♀, 27-V-2005, leg. Werno (coll. Werno); Marrakesch-Tensift-Al-Haouz, Tamaloula, 1 ♂, 8-VIII-2013, leg. Werno (coll. Werno); High Atlas, Ouirgane, 925 m, 2 ♂♂, 30-31-V-2015, leg. Hviid, Karsholt and Larsen (ZMUC); High Atlas, 7 km S Ouirgane, 2 ♂♂, 1 ♀, 5-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); High Atlas, 6 km NW Ouirgane, 1 ♂, 1-2-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); Prov. Essaouira: Douar Tisgharin, 540 m, 1 ♀, 22-IV-2015, leg. J. Kullberg (FMNH).

Rhodobates algiricella (Rebel, 1901)

PETERSEN & GAEDIKE (1979).

Rhodobates friedeli Petersen, 1987

PETERSEN (1987): Type location: Agadir-Rokein.

Examined material: Agadir O-Sous, 7 ♂♂, leg. Pinker (SMNK).

Morophaga morellus (Duponchel, 1838)

PETERSEN & GAEDIKE (1979).

Examined material: High Atlas, 7 km S Ouirgane, 950 m, 1 ♂, 1-5-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); Rabat, Forêt de Mamora, 1 ♂, 25-26-IV-1989, leg. Exp. Copenhagen (ZMUC).

Morophaga choragella ([Denis & Schiffermüller], 1775)

GAEDIKE (2009).

Nemapogon inconditella (Lucas, 1956)

LUCAS (1956): Type location: Ifrane; - PETERSEN & GAEDIKE (1979) (under the name of the synonym *heydeni* Petersen, 1957).

Nemapogon agenjoi Petersen, 1959

GAEDIKE (2015a).

Examined material: High Atlas, Ljoukak, 23 km SW, 1 ♀, 2-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC).

Nemapogon palmella (Chrétien, 1908)

PETERSEN & GAEDIKE (1979).

Examined material: Agadir, 1 ♀, 20-28-IV-2009, leg. W. Mey (ZMHB); High Atlas, 6 km NW of Ouirgane, 31°12'29"N, 8°4'23"W, 1 ♀, 1-2-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); Demnate, 1070 m, 1 ♂, 22-XI-2014, leg. J. Kullber (ZMUC).

Nemapogon picarella (Clerck, 1759)

GAEDIKE (2009); - GAEDIKE (2015a).

Nemapogon sardicus Gaedike, 1983

GAEDIKE (2009).

Examined material: Anti Atlas, Tizi-Mlil, 1590 m, 1 ♂, 1-VI-2010, leg. Werno (coll. Werno); Marrakesch-Tensift-Al Haouz, Tiz-n-Test, 2045 m, 1 ♀, 29-V-2010, leg. Werno (coll. Werno); Marrakesch-Tensift-Al Haouz-Asguine, 1 ♂, 7-VI-2013, leg. Bläsius (coll. Werno); High Atlas, Oukaim'den, 2600 m, 2 ♂♂, 9-11-VIII-1975, leg. F. Kasy (NMW); High Atlas, Ouirgane, 925 m, 1 ♂, 30-31-V-2015, leg. Hviid; Karsholt and Larsen (ZMUC); High Atlas, 3 km N of Ouirgane, 950 m, 1 ♂, 1 ♀, 1-5-V-2016, leg. Hviid;

Larsen and Nilsson (ZMUC); High Atlas, 14 km E of Asni, 1820 m, 1 ♀, 1-5-V-2016, leg. Hviid; Larsen and Nilsson (ZMUC); Prov. Essaouira: Douar Tisgharin, 540 m, 2 ♀♀, 22-IV-2015, leg. J. Kullberg (FMNH); Prov. Tadla-Azilal, El Kaba, 1 ♂, 28-V-2005, leg. Werno (coll. Werno); Agadir, 3 ♂♂, 18-29-III-1975, leg. K. Mikkola (FMNH).

Nemapogon granella (Linnaeus, 1758)
PETERSEN & GAEDIKE (1979).

Nemapogon variatella (Clemens, 1859)
Examined material: dint. Khenitra, 1 ♂, 1-V-1990, leg. Bassi & Scaramizzino (coll. Baldizzone).

Neurothaumasia ankerella (Mann, 1867)
GAEDIKE (2009).

Neurothaumasia ragusaella (Wocke, 1889)
PETERSEN & GAEDIKE (1979).

Examined material: Anti Atlas, Djebel Siroua, 30 km W Anzal, 1500 m, 1 ♂, 18-VI-2011, leg. R. Bläsius (coll. Werno).

Pachyarthra mediterraneae (Baker, 1894)
LUCAS (1933): Type locality of the synonym *Tineola pallidella*: Ouida; - LUCAS (1950): Type locality of the synonym *Euplocera variegata*: Sehouls; - PETERSEN & GAEDIKE (1979).
Examined material: Ademine, 1 ♀, middle of XI-1974, leg. Pinker (SMNK).

Pachyarthra lividella (Chrétien, 1915)
PETERSEN & GAEDIKE (1979).

Examined material: Agadir-Ademine, 35 ♂♂, 1 ♀, XI-1974, leg. Friedel (SMNK; SDEI); Agadir-Rokein, 3♂♂, 8-XI-1974, leg. Friedel (SMNK); env. of Agadir, 10 ♂♂, XI-1974, leg. Friedel (SMNK); env. of Agadir, 1 ♀, 26-X-2012, leg. Bläsius (coll. Werno); Agadir, O-Sous, 48 ♂♂, 14 ♀♀, leg. Pinker (SMNK; SDEI); Ademine, 1 ♂, middle of XI-1974, leg. Pinker (SMNK); Agadir, Azrarag, 1 ♀, 24-IV-2012, leg. Bläsius (coll. Werno); Marrakesch-Tensift-Al Haouz-Tamaloukt, 700 m, 1 ♂, 1 ♀, 18-IV-2016, 21-VII-2012, leg. Bläsius (ZSM; coll. Werno).

Pachyarthra ochroplicella (Chrétien, 1915)
PETERSEN & GAEDIKE (1979).

Examined material: Agadir and env. of Agadir, 3 ♂♂, 1 ♀, XI-1974, leg. Friedel (SMNK); 20 km N of Agadir, Vallée de Paradis, 1 ♂, 7-VIII-2013, leg. Werno (coll. Werno); High Atlas, env. of Tacheddirt, 2300 m, 22 ♂♂, 8-22-VIII-1975, leg. Groß (AZD; SDEI); High Atlas, Tiz-n-Tichka, 2100 m, 2 ♂♂, 2 ♀♀, 11-VIII-1997, leg. Bettag (coll. Bettag); High Atlas, Tiz-n-Test, 2100 m, 4 ♂♂, 4-X-1996, leg. Lingenhöle (SMNS); Marrakesch-Tensift-Al Haouz and Imi Nifri, 2 ♂♂, 12-VIII-2013, 13-VIII-2013, leg. Werno (coll. Werno); Anti Atlas, Tizi Teratine, 1900 m, 1 ♂, 12-VIII-1975, leg. Groß (AZD).

Myrmecozela diacona Walsingham, 1907
PETERSEN & GAEDIKE (1979).
Examined material: Anti Atlas, Souk-el-Had-d' Afella-Irhir, 1 ♂, 2-IV-1997, leg. Hoppe (ZSM).

Myrmecozela ataxella (Chrétien, 1905)
Examined material: Anti Atlas, 15 km SW Tirhmi, 1 ♂, 31-I-1990, leg. De Freina (ZSM); env. of Tamegroute, Vallée du Drâa, 1 ♂, 12-II-1996, leg. Hoppe (ZSM).

Ateliotum petrinella (Herrich-Schäffer, 1854)
Examined material: High Atlas, Toubkal-Massiv, Oukaimden area, 31°10'N, 7°50'W, 2815 m, 1 ♂, 3-

VIII-2008, leg. A. Steiner (SMNK); High Atlas, 23 km SW Ljoukat, 1 ♂, 2-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); Maknès-Tafilalet, 32°35'N, 4°33'W, 2170 m, 1 ♂, leg. J. and A. Kullberg (FMNH).

Cephimallota tunesiella (Zagulajev, 1966)

Examined material: Grand Atlas, Ijoukak, 1 ♀, 10-20-IX-1937, leg. Jourdan.

Cephimallota crassiflavella Bruand, 1851

Examined material: Marrakesch-tensift-El Khaouz Asguine, 970 m, 1 ♂, 4-VI-2010, leg. Werno (coll. Werno).

Edosa lardatella (Lederer, 1858)

PETERSEN & GAEDIKE (1979).

Examined material: Val d'Ifrane, 1 ♀, 25-29-X-1974, leg. Friedel (SMNK); Agdz, 1 ♂, 11-IV-1976, leg. Thomas (MNVD); Vallée du Draa, Tagounite, 700 m, 1 ♂, 29-III-1997, leg. Hoppe (ZSM); Souss-Massa-Draa, Anezi, 10 km W, 800 m, 1 ♀, 17-V-2005, leg. M. Meyer (coll. Werno); Prov. Meknès-Tafilalet Azrou, 1600 m, 1 ♂, 28-V-2005, leg. Werno (coll. Werno); Tafilalt, Taznakt, 1000 m, 3 ♂♂, 1 ♀, 8-IV-1980, leg. Thomas (MNVD); Sahara, Zugora, 4 ♂♂, 4-16-IV-1974, leg. Bender (SMNK); High Atlas, Asni, 1150 m, 1 ♂, 7-9-V-1974, leg. Bender (SMNK); Tinerhir, 1350 m, 3 ♂♂, 6-8-V-1973, leg. Bender (SMNK).

Perissomastix biskraella (Rebel, 1901)

PETERSEN & GAEDIKE (1979).

Examined material: High Atlas, Asni, 1150 m, 4 ♂♂, 7-9-V-1974, leg. Bender (SMNK); Ksar-es-Souk, 30 km O of Tinehir, 1 ♂, 14-VIII-1975, leg. Groß (AZD); Westsahara, 2 km S of Faun Agoutir, 2 ♂♂, 1-VI-2000, leg. Hoppe (ZSM).

Crassicornella agenjoi (Petersen, 1957)

PETERSEN (1962); - PETERSEN & GAEDIKE (1979).

Examined material: Houed Korifla, 80 km SE Rabat, 1 ♂, 13-V-1988, leg. Curletti (coll. Baldizzone); Ifrane, 1700 m, 25-VII-1975, 6 ♂♂, leg. Groß (AZD); Tabarka, 1 ♂, 29-VII-3-VIII-1995, leg. Mey (ZMHB); Meknès-tafilalet, Azrou, 1600 m, 2 ♂♂, 28-V-2005, leg. Meyer (coll. Werno); Tangier, 7 ♂♂, VII-VIII-1934, leg. Querci (MNHN).

Crassicornella zernyi (Petersen, 1957)

PETERSEN (1957a): Type locality: Tachdirt; - PETERSEN & GAEDIKE (1979); - GAEDIKE (2009).

Examined material: numerous specimens (over eighty) from entire country.

Crassicornella hirundinea (Meyrick, 1928)

PETERSEN & GAEDIKE (1979).

Examined material: Tizi-n' Test, 1900 m, 3 ♂♂, 25-V-1985, leg. Sama (coll. Baldizzone); Agadir and env. of Agadir, 3 ♂♂, 1 ♀, 16-IV-2012, leg. Müller (ZMHB); 25-IV-2014, leg. Mey (ZMHB); 10-III-2012, leg. Bläsius (coll. Werno); Middle Atlas, Prov. Ifrane, 4 ♂♂, 7-9-V-2010, leg. Kullberg & Kolev (FMNH).

Ceratuncus maroccanella (Amsel, 1951)

AMSEL (1951): Type locality: Goundafa.

Examined material: High Atlas, Oukaimden, 1600 m, 11-18-VI-1933, 1 ♂, leg. Zerny (NMW); High Atlas, Asni, 1200 m, 2 ♂♂, 6-VII-1984, leg. de Prins (coll. de Prins); High Atlas, 10 km NW Ourgane, 1050 m, 1 ♂, 30-V-3-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); High Atlas, Ljoukak, 23 km SW, 1 ♂, 2-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC) Marrakesch-Tensift-El Haouz-Asguine, 970 m, 1 ♂, 3-VI-2010, leg. Werno (coll. Werno).

Reisserita karsholti Gaedike, 2009

GAEDIKE (2009): Type locality: Sidi Kaould, 25km S Essaouira.

Examined material: 6 km SE Essaouira, 1 ♂, 26-27-IV-2015, leg. J. Kullberg (FMNH).

Reisserita meyi Gaedike, 2015

GAEDIKE (2015): Type locality: Agadir.

Reisserita cinnamomella Gaedike, 2015

GAEDIKE (2015): Type locality: Midelt.

Reisserita bettagi Gaedike, 2009

GAEDIKE (2009): Type locality: Ifrane.

Reisserita chalcopterella (Zerny, 1935)

ZERNY (1935): Type locality: Tachdirt; - GAEDIKE (2009).

Examined material: High Atlas, Telouet, 2900 m, 1 ♂, 11-VIII-1997, leg. Bettag (coll. Bettag); High Atlas, 9 and 10 km NW Ouirgane, 31°12'50"N, 8°4'24"W, 4 ♂♂, leg. Hviid; Karsholt and Larsen (ZMUC); High Atlas, Prov. Taroudant, Tamaloukt, 700 m, 1 ♂, 10-VI-2013, leg. Bläsius (coll. Werno); Demnale, env. of Tizi-n-Azioun, 1 ♂, 27-VI-2013, leg. Bläsius (coll. Werno).

Reisserita stengeli Gaedike, 2009

GAEDIKE (2009): Type locality: Moyen Atlas, Forêt des Cedres.

Reisserita luteopterella Petersen, 1957

PETERSEN (1957): Type locality: Goundafa; - GAEDIKE (2009).

Examined material: Tinin, 29°43'35"N, 9°16'33"W, 1 ♂, 16-V-2005, leg. Werno (coll. Werno); Marrakesch-Tensift-Al Haouz, Tiz-n-Test, 2645 m, 3 ♂♂, 8-VI-2013, leg. Bläsius; 11-VIII-2013, leg. Werno (coll. Werno).

Reisserita parva Petersen & Gaedike, 1979

PETERSEN & GAEDIKE (1979): Paratype location: Tangier.

Anomalotinea pseudoranella (Petersen & Gaedike, 1979)

PETERSEN & GAEDIKE (1979): Type location: Sangal (under the genus name *Reisserita*).

Anomalotinea paepalella (Walsingham, 1907)

GAEDIKE (2009).

Anomalotinea fulvescentella (Lucas, 1956)

LUCAS (1956): Type locality: Ifrane; - PETERSEN & GAEDIKE (1979): Type locality: Oukaimden and Azrou (of the synonym *maroccana* Petersen & Gaedike, 1979).

Examined material: numerous additional specimens (34 ♂♂) from the type locality Ifrane in coll. SMNK; NMW; AZD; SDEI; ZSM; Marrakesch-Tensift-El Haouz-Asguine, 1 ♂, 4-VI-2010, leg. Werno (coll. Werno); Marrakesch-Tensift-El Haouz-Fadh rat, 2580 m, 2 ♂♂, 2-VII-2013, leg. Bläsius (coll. Werno).

Anomalotinea tisliticola Gaedike & Kullberg, 2015

GAEDIKE & KULLBERG (2015): Type locality: Prov. Er Rachidia, Lake Tislit.

Anomalotinea wernoi Gaedike, 2009

GAEDIKE (2009): Type locality: Tinn.

Examined material: Anti Atlas, Tizi-Mlil, 1590 m, 2 ♂♂, 1-VI-2010, leg. Werno (coll. Werno); Agadir, residence Al Faras, 2 ♂♂, 20-28-IV-2009, leg. Mey (ZMHB).

Anomalotinea derrai Gaedike, 2009


GAEDIKE (2009): Type locality: Mischliften.

Anomalotinea hviidi Gaedike, 2019

GAEDIKE (2019a): Type locality: Ouirgane.

***Anomalotinea tabelli* Gaedike, sp. n.**

Material examined: Holotype ♂: MOROCCO, El Hajeb Prov., El Hajeb 2,8km WNW, 860 m, N 33.69072 W 5.40304, 15-V-2016, J. Tabell leg.; Gen.präp. [genitalia slide] Gaedike NR. 9716; Holotypus ♂, *Anomalotinea tabelli* sp. n., det. R. Gaedike 2019 (FMNH). Paratypes: 6 ♂♂, with same dates, three of them with slides NR. 9712, 9713, 9717 (FMNH; SDEI); 1 ♂, MOROCCO, El Hajeb Prov., El Hajeb 3,3 km WNW, 820 m, N 33.68944 W 5.40940, 17-V-2016, J. Tabell leg.; Gen.präp. [genitalia slide] Gaedike NR. 9711 (FMNH).



Figs 1-4.—*Anomalotinea tabelli* Gaedike, sp. n. 1-2. Paratypes, Morocco, El Hajeb Prov.. 3-4. Male paratypes, Morocco, El Hajeb Prov.

Description (figs 1-2): Wingspan 15-17mm; head brush dark yellow-brown, area from neck to insertion of antenna somewhat lighter; scape of antenna with same coloration, with pecten, flagellum ringed, nearly 2/4 of the length of forewing; palpus also yellowish-brown, lighter on inside, second segment with numerous long bristle-shaped scales; thorax and tegulae yellow-brown, forewing with same coloration, without any pattern; hindwing grey.

Variation: Some specimens with pale yellow coloration (see fig. 2).

Male genitalia (figs 3-4): Uncus with hook-shaped tip, characteristically for the genus; gnathos arms unusually broad, proximally forked, with two pointed tips; saccus broad, laterally with more strongly sclerotized hook-like edge (connection with tegumen), narrower to rounded tip; valva somewhat longer than gnathos, more or less parallel-sided, ventral edge straight, costal edge at 1/2 and costal and ventral angles proximally each with small blunt process, on inside near proximal edge with small bristled process, somewhat different sized on each valva; transtilla narrow, as long as valva; phallus as long as saccus, with row of minute more strongly sclerotized thorns. Valvae on ventral edge connected with a structure (juxta or anellus?).

Female genitalia: Unknown.

Diagnosis: Superficially not clearly distinguishable from other members of the genus, but the genitalia structure shows some distinct differences. The shape of gnathos arms and valvae, especially the very long transtilla are unique in the genus.

Etymology: Named in honour of the collector, Jukka Tabell.

Trichophaga tapetzella (Linnaeus, 1758)

Examined material: Prov. Al Haouz, Asgaour, 1320 m, 1 ♀, 11-12-V-2015, leg. Kullberg (FMNH).

The following two species were separated only in 2001 (GAEDIKE & KARSHOLT, 2001). This is why all earlier indications in the literature can be accepted only after re-examination.

Trichophaga bipartitella (Ragonot, 1892)

Examined material: Agadir-Ademine, 1 ♀, XI-1974, leg. Friedel (SMNK); 40 km S Larache, 1 ♂, 1 ♀, 23-24-IV-1989, Exp. Mus. Copenhagen (ZMUC); Prov. Merlef, Tizlit, 1 ♂, 1 ♀, 12-IV-2015, leg. Tabell (FMNH); Prov. Setlat, Oulad Abhou, 1 ♂, 10-IV-2015, leg. Tabell (FMNH).

Trichophaga robinsoni Gaedike & Karsholt, 2001

Examined material: Sous, Inezgane, 2 ♂♂, 3 ♀♀, 17-18-III-1974, leg. Bender (SMNK); 37 km SE Bouizkarn, Oasis Tachjicht, 550 m, 2 ♂♂, 3-II-1990, leg. de Freina (SMNK); Agadir, O-Sous, 1 ♂, leg. Pinker (SMNK); 2 km S Foun Agoutir, 65 km E Torfaya, 1 ♂, 1 ♀, 1-VI-2000, leg. Hoppe (ZSM); Anti Atlas, 12 km E Assaka, 1 ♂, 1 ♀, 31-V-2000, leg. Hoppe (ZSM); High Atlas, Taroudant, 1 ♂, 27-V-1995, leg. Macek.

Ceratophaga infuscatella (Joannis, 1897)

PETERSEN & GAEDIKE (1979).

Elatobia fuliginosella (Lienig & Zeller, 1846)

GAEDIKE (2009).

Elatobia maroccana Gaedike, 2019

GAEDIKE (2019a): Type localities: North of Taroudant; Agadir; Idni.

Examined material: Prov. Settat, 2,5 km E Said Machou, 100 m, 1 ♂, 18-V-2016, leg. Tabell (FMNH): **First record beside type series.**

Tineola bisselliella (Hummel, 1823)

Examined material: High Atlas, 23km SW Ljoukak, 1 ♀, 2-VI-2015, leg. Hviid; Karsholt & Larsen (ZMUC).

Tinea murariella Staudinger, 1859

ROBINSON (1979).

Examined material: Agadir, 3 ♂♂, 1 ♀, 18-29-III-1975, leg. Mikkola (FMNH); Essouira, 1 ♂, 28-IV-2009, leg. Mey (ZMHB).

Tinea dubiella Stainton, 1859

ROBINSON (1979); - PETERSEN & GAEDIKE (1979) (under the name of the synonym *turicensis* Müller-Rutz, 1920).

Tinea flavescentella Haworth, 1828

GAEDIKE (2019).

Tinea basifasciella Ragonot, 1895

Examined material: High Atlas, Asni, 1200 m, 1 ♀, 6-VII-1984, leg. de Prins (coll. de Prins); High Atlas, Ljoukak, 23 km SW, 1600 m, 1 ♀, 2-VI-2015, leg. Hviid; Karsholt and Larsen (ZMUC); High Atlas, Agadir, vic. Val Paradis, Tifrit, 1 ♂, 24-IV-2016, leg. Bläsius (coll. Werno); Tahanaoute, Tiz-n-Tagatout, 2 ♂♂, 20-V-2005, leg. Werno (coll. Werno); Prov. Meknés-Tafilalet, Azrou, 1 ♀, 30-V-2005, leg. Werno (coll. Werno); Rabat, 1 ♂, 20-IV-1942, leg. Rungs (MNHN).

Niditinea fuscella (Linnaeus, 1758)

PETERSEN & GAEDIKE (1979).

Examined material: Ouezzane, 300 m, 1 ♀, 21-22-IV-1989, Exp. Mus. Copenhagen (ZMUC); Moyen Atlas, Ifrane, 1 ♀, 5-10-VII-1972, leg. Hahn (ZSM).

Proterospastis autochthones (Walsingham, 1907)

GAEDIKE (2019).

Proterospastis orientalis (Petersen, 1959)

GAEDIKE (2019).

Examined material: High Atlas, Ouirgane, 11 km S, 1 ♂, 30-31-V-2015, leg. Hviid; Karsholt and Larsen (ZMUC).

Monopis imella (Hübner, [1813])

Examined material: Rabat, 1 ♀, [without collection dates and collector name]; High Atlas, Asni, 1 ♀, 6-VII-1984, leg. de Prins (coll. de Prins); 40 km S Larache, 1 ♂, 23-24-IV-1989, Exp. Zool. Mus. Copenhagen (ZMUC); Quezzane, 1 ♂, 21-22-IV-1989, Exp. Zool. Mus. Copenhagen (ZMUC); env. of Ifrane, 1600 m, 2 ♂♂, 1 ♀, 11-22-VI-1996, leg. Bettag (coll. Bettag); Marrakesh-Tensift-El Haouz Asguine, 2 ♂♂, 4-VI-2010, leg. Werno (coll. Werno).

Monopis crocicapitella (Clemens, 1859)

TURATI (1919): Type locality of the synonym *ceconii*: Tanger.

Monopis nigricantella (Millière, 1872)

Examined material: Ouezzane, 1 ♂, 21-23-IV-1989, Exp. Zool. Mus. Copenhagen (ZMUC); 40 km S Larache, 1 ♂, 23-24-IV-1989, Exp. Zool. Mus. Copenhagen (ZMUC).

Xerantica tephroclysta Meyrick, 1930

ROBINSON; GAEDIKE; BLÄSIUS & BETTAG (2006), - GAEDIKE (2007).

Examined material: Prov. Ouerzazate, Gorge du Oades, 8 km Nait Bou Allal, N 31,42, W 6,02, 2 specimens, 23-VI-2005, leg. N. Pöll.

Amphixystis maroccana Gaedike, 2009

GAEDIKE (2009): Type locality: Sidi Ifni.

Examined material: 21 km N of Agadir, 1 ♂, 8-VIII-2013, leg. Werno (coll. Werno); 20 km N Agadir, 4 ♂♂, 25-IV-2014, leg. Mey (ZMHB; SDEI).

Acknowledgements

I wish to thank all colleagues for their kindness in enabling me to examine their material. Special thanks to Christian Kutzscher (SDEI) for making the colour pictures and Andrew Liston (SDEI) for his linguistic corrections.

BIBLIOGRAPHY

- AMSEL, H. G., 1951.– Neue Microlepidopteren aus Marokko, Malta und dem Libanon.– *Bulletin de la Société des Sciences Naturelles du Maroc*, **30**(2): 175-180.
- GAEDIKE, R., 2007.– New and poorly known Lepidoptera from the West Palaearctic (Tineidae, Acrolepiidae, Douglasiidae, Epermeniidae).– *Nota lepidopterologica*, **29**(3/4): 159 - 176.
- GAEDIKE, R., 2009.– New or poorly known Tineidae from Mauretania, Morocco, Algeria, and Tunisia (Lepidoptera).– *Beiträge zur Entomologie*, **59**(2): 489-512.
- GAEDIKE, R., 2015.– On the genus *Reisserita* Agenjo in North Africa, with descriptions of two new species (Lepidoptera, Tineidae).– *Stuttgarter Beiträge zur Naturkunde A, Neue Serie*, **8**: 271-278.
- GAEDIKE, R., 2015a.– Tineidae I (Dryadaulinae, Hapsiferinae, Euplocaminae, Scardiinae, Nemapogoninae and Meessiinae).– *Microlepidoptera of Europe*, **7**: 308 pp, 6 pls. Brill NV, Leiden.
- GAEDIKE, R., 2019.– Tineidae II (Myrmecozelinae, Perissomasticinae, Tineinae, Hieroxestinae, Teichobiinae and Stathmopolitinae).– *Microlepidoptera of Europe*, **9**: XXIV + 248 pp., 8 pls. Brill NV, Leiden.
- GAEDIKE, R., 2019a.– New West Palaearctic Meessiidae and Tineidae (Lepidoptera: Tineoidea).– *SHILAP Revista de lepidopterología*, **47**(185): 75-86.
- GAEDIKE, R. & KARSHOLT, O., 2001.– Contribution to the Lepidoptera fauna of the Madeira Islands. Part 2. Tineidae, Acrolepiidae, Epermeniidae.– *Beiträge zur Entomologie*, **51**(1): 161-213.
- GAEDIKE, R. & KULLBERG, J., 2015.– Description of a new *Anomalotinea* Spuler, 1910 species from the Moroccan High Atlas Mountains with a brachypterous female (Lepidoptera: Tineidae).– *SHILAP Revista de lepidopterología*, **43**(171): 377-380.
- LUCAS, D., 1933.– Lépidoptères nouveaux de la France occidentale et de l'Afrique du Nord.– *Bulletin de la Société Entomologique de France*, **38**: 195-200.
- LUCAS, D., 1950.– Contribution à l'étude des Lépidoptères de l'Afrique du Nord.– *Bulletin de la Société Entomologique de France*, **47**(8): 122-126.
- LUCAS, D., 1956.– Nouveaux Lépidoptères nord-Africains.– *Bulletin de la Société des Sciences Naturelles et Physiques du Maroc*, **35**: 251-258.
- MEYRICK, E., 1928.– Lepidoptera collected during a zoological mission to the Great Atlas of Morocco, 1927. By F. Le Cerv and G. Talbot.– *The Bulletin of the Hill Museum*, **2**(3): 232-240.
- PETERSEN, G., 1957.– Die Genitalien der paläarktischen Tineiden (Lepidoptera: Tineidae).– *Beiträge zur Entomologie*, **7**(1/2): 55-176, 4 plates.
- PETERSEN, G., 1957a.– Die Genitalien der paläarktischen Tineiden (Lepidoptera: Tineidae).– *Beiträge zur Entomologie*, **7**(5/6): 557-595, 2 plates.
- PETERSEN, G., 1962.– New and rare Tineids (Lepidoptera: Tineidae) in the Collections of the British Museum (Nat. Hist.).– *Annals and Magazin of Natural History*, Ser. 13, **4**: 529-539.
- PETERSEN, G., 1987.– Revision der Gattung *Rhodobates* Ragonot (Lepidoptera, Tineidae, Hapsiferinae).– *Entomologische Abhandlungen Staatliches Museum für Tierkunde Dresden*, **50**(9): 167-190.
- PETERSEN, G. & GAEDIKE, R., 1979.– Beitrag zur Kenntnis der Tineiden-Fauna des Mittelmeerraumes.– *Beiträge zur Entomologie*, **29**(2): 383-412.
- ROBINSON, G. S., 1979.– Clothes-moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera: Tineidae).– *Bulletin of the British Museum (Natural History) Entomology series*, **38**(3): 57-128.
- ROBINSON, G. S., GAEDIKE, R., BLÄSIUS, R. & BETTAG, E., 2006.– *Xerantica tephroclysta* Meyrick, 1930

- (Tineidae), a new member of the Palaearctic fauna, with description of its life history and early stages.– *Nota lepidopterologica*, **29**(1/2): 67-77.
- TURATI, E., 1919.– Nuove forme di Lepidotteri, correzioni e note critiche.– *Naturalista Siciliano*, **1919**(7/12): 1-144.
- ZERNY, H., 1935.– Die Lepidopterenfauna des Grossen Atlas in Marokko und seiner Randgebiete. Mit Beiträgen von L. Schwingenschuss.– *Mémoires de la Société des Sciences Naturelles du Maroc*, **42**: 1-157, 2 plates.

R. G.
Florusstraße, 5
D-53225 Bonn
ALEMANIA / GERMANY
E-mail: tinagma@msn.com
<https://orcid.org/0000-0002-9347-6678>

y / and

Senckenberg Deutsches Entomologisches Institut
Eberswalder Str. 90
D-15374 Müncheberg
ALEMANIA / GERMANY

(Recibido para publicación / Received for publication 24-IX-2019)
(Revisado y aceptado / Revised and accepted 27-X-2019)
(Publicado / Published 30-III-2020)