

Checklist of grass-mining moths of Ukraine with description of one new species (Lepidoptera: Elachistidae)

O. Bidzilya, Yu. Budashkin & A. Zhakov

Abstract

An annotated list of 71 species of Elachistidae of Ukraine is given. One species *Elachista laurii* Bidzilya & Budashkin, sp. n. is described as new from the Eastern Ukraine (Luhansk region) and Volga area of Russia (Ulyanovsk, Saratov and Volgograd regions). *Elachista purella* Sruoga, 2000 is recorded from Europe for the first time and the hitherto unknown female of this species is illustrated. Eight species: *Elachista grandella* Traugott-Olsen, 1992, *Elachista parvula* Parenti, 1978, *Elachista nitidulella* (Herrich-Schäffer, 1855), *Elachista spumella* Caradja, 1920, *Elachista heringi* (Rebel, 1899), *Elachista nolckenii* Šulcs, 1992, *Elachista littoricola* Le Marchand, 1938 = *Elachista volgella* Lastukhin, 2009, syn. n., and *Biselachista contaminatella* (Zeller, 1847) = *Biselachista arzamastsevi* Lastukhin, 2009, syn. n., are recorded from the Ukraine for the first time. Four species: *Elachista regificella* Sircom, 1849, *Elachista anitella* Traugott-Olsen, 1985, *Elachista elegans* Frey, 1859 and *Biselachista albidiella* (Nylander, 1848), are removed from the Ukrainian fauna due to previous misidentification. One species *Perittia sibirica* Sinev, 1992 is removed from the European fauna. Type material is deposited in the collections of ZMKU (Kiev, Ukraine), FMNH (Helsinki, Finland), K. Nupponen (Espoo, Finland), V. Zolotuhin (Ulyanovsk, Russia).

KEY WORDS: Lepidoptera, Elachistidae, checklist, new species, Ukraine.

Lista de los elachístidos de Ucrania con descripción de una nueva especie (Lepidoptera: Elachistidae)

Resumen

Se da una lista anotada de 71 especies de Elachistidae de Ucrania. Se describe una nueva especie *Elachista laurii* Bidzilya & Budashkin, sp. n., del este de Ucrania (región de Lugansk) y del área Volga de Rusia (regiones de Uliánovsk, Sarátov y Volgogrado). Por primera vez, *Elachista purella* Sruoga, 2000 se registra como nueva para Europa y se describe e ilustra la hembra desconocida de esta especie. Ocho especies: *Elachista grandella* Traugott-Olsen, 1992, *Elachista parvula* Parenti, 1978, *Elachista nitidulella* (Herrich-Schäffer, 1855), *Elachista spumella* Caradja, 1920, *Elachista heringi* (Rebel, 1899), *Elachista nolckenii* Šulcs, 1992, *Elachista littoricola* Le Marchand, 1938 = *Elachista volgella* Lastukhin, 2009, syn. n., y *Biselachista contaminatella* (Zeller, 1847) = *Biselachista arzamastsevi* Lastukhin, 2009, syn. n., se registran por primera vez para Ucrania. Cuatro especies: *Elachista regificella* Sircom, 1849, *Elachista anitella* Traugott-Olsen, 1985, *Elachista elegans* Frey, 1859 y *Biselachista albidiella* (Nylander, 1848), se eliminan de la fauna ucraniana, debido a malas identificaciones anteriormente. Una especie *Perittia sibirica* Sinev, 1992 se retira de la fauna europea. El material tipo es depositado en las colecciones de ZMKU (Kiev, Ucrania), FMNH (Helsinki, Finlandia), K. Nupponen (Espoo, Finlandia), V. Zolotuhin (Uliánovsk, Rusia).

PALABRAS CLAVE: Lepidoptera, Elachistidae, catálogo, nueva especie, Ucrania.

Introduction

The study of Elachistidae in Ukraine goes back more than 150 years. NOWICKI (1860) was the

first who mentioned 16 species of grass-mining moths in his fundamental “*Enumeratio Lepidopterorum Haliciae orientalis*” devoted to the Lepidoptera of eastern “Halicia” (now Lvov region). Three additional species were recorded from this region five years later (NOWICKI, 1865). This outstanding beginning was carried on by the next generation of Polish lepidopterists in the first third of XX century. KLEMENCIEWICZ (1898, 1899, 1901, 1902, 1905, 1906, 1907), GATNAR (1906), STÖKL (1908, 1922), BRUNICKI (1913) contributed greatly to the study of all groups of Lepidoptera, and Elachistidae among them, in the territories of present Lvov and Ivano-Fankovsk regions mainly. At the same time HORMUZAKI (1907, 1910) published two important papers on Microlepidoptera of Bukowina, mentioning seven Elachistidae species from Tchernovtsy region. KHRANEVICH (1927) reported one species from Khmelnitsky region. Nearly all the faunistic information obtained by these authors was summarized in a monograph “Fauna motyli Polski” by SHILLE (1930). As a result the number of Elachistidae species known by 1930 from the western Ukraine was 37. Shille’s monograph remains the most complete compilation on Lepidoptera of the western Ukraine up to now.

In the beginning of the XX century the first records of Elachistidae were taken from others regions. KSENZHOPOLSKY (1915) recorded one species from the vicinity of Zhitomir. LJUBOMUDROV (1917) and ZHIKHAREV (1928) found one species in Kiev. Later LEBEDEV (1937) and SOVINSKY (1938) listed four and five species of Elachistidae respectively for Kiev in their contributions to the Microlepidoptera fauna of Kiev region.

Incredible but true: more than 40 years passed before the study of Microlepidoptera (incl. Elachistidae) in Ukraine was recommenced. In 1981-1989 the late A. Zagulajev organized a series of collecting trips to the Crimea. It was the beginning of the integrated study of all families of micromoths in this region. In 1983 this initiative was taken up by Yu. Budashkin, who started the permanent twelve-month study of diversity and ecology of Lepidoptera in Crimea. Concerning Elachistidae this work has yielded a first contribution directly devoted to the grass-mining moths of Ukraine (BUDASHKIN & SINEV, 1991). In this paper, the authors compiled all known data on Elachistidae from the Crimea at that time. As a result a list of 24 species was provided for Karadagh Nature Reserve, and four species were described as new, two of which are now considered valid.

Since 1990, O. Bidzilya and A. Zhakov have been studying the Elachistidae mainly in the steppes regions of Ukrainian mainland. Kamennye Mogily Nature Reserve (Zaporozhie and Donetsk regions) was one of the first localities that has been intensively studied. The summarized list of Lepidoptera of this Nature Reserve includes nine species of grass-minning moths (BIDZILYA *et al.*, 2001). In the mean-time 28 Elachistid species from the steppe zone and other regions have been mentioned in the series of faunistic papers (BIDZILYA, 1995, BIDZILYA & BUDASHKIN, 1998, BIDZILYA *et al.*, 2003, 2006).

The current study of Elachistidae is part of an ongoing project on preparing “The Catalogue of Lepidoptera of the Ukraine”. During the work on this first compilation on Ukrainian Lepidoptera we revised all data already published, studied additional materials from the collections of the Schmalhausen Institute of Zoology (Academy of Sciences of Ukraine), Kiev National Taras Shevchenko University and Karadagh Nature Reserve. We also critically checked all literature sources which deal with Elachistidae from Ukraine. It turned out to be especially urgent due to the fact that the taxonomy of Elachistidae changed considerable over the last two decades. A number of new species have been described, several groups of closely related species have been revised, some species have been recognized as “species complexes” based on the study of type materials, etc. (KAILA *et al.*, 2001, KAILA & JUNNILAINEN, 2002, KAILA *et al.*, 2003, SUGISIMA, 2005, KAILA, 2007, 2009, 2011, 2012).

The main aim of the present paper is to provide the final list of Ukrainian grass-mining moths updated in accordance to the latest changes in taxonomy and nomenclature of the family. The system of Elachistidae in the present list follows KAILA (1999) except for *Dibrachia* Sinev & Sruoga, 1992, *Biselachista* Traugott-Olsen & Nielsen, 1977 and *Cosmiotes* Clemens, 1860 that we treat as separate genera according to SINEV (2008). The sections on “Distribution” are arranged geographical from

northwest to south-east and countries referred to by their current names. The doubtful records are mentioned with “(?)”.

List of species

Perittia farinella (Thunberg, 1794)

Distribution: Northern and Central Europe, Russia (North-Western of the European Part) (PARENTI, 1996, SINEV, 2008). In Ukraine it is known from Ivano-Frankovsk region (BIDZILYA *et al.*, 2006).

Perittia herrichiella (Herrich-Schäffer, 1855)

Distribution: Northern and Central Europe, Russia (Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine is known only from Lvov region (KLEMENCIEWICZ, 1905, 1906, SCHILLE, 1930).

Perittia weberella Whitebread, 1984

Distribution: Switzerland, Russia (Southern Ural) (WHITEBREAD, 1984, PARENTI, 1996, KAILA *et al.*, 2003, as *sibirica* Sin.). In Ukraine it is known only from the Donetsk reg. (BIDZILYA & BUDASHKIN, 1998).

Notes: The species was erroneously recorded from the Southern Ural as *Perittia sibirica* Sinev, 1992 (KAILA *et al.*, 2003). Later this record was mentioned in the “Catalogue of the Lepidoptera of Russia” (SINEV, 2008). *P. sibirica* is known only from the Irkutsk region (SINEV, 1992, SINEV & SRUOGA, 1997, SINEV, 2008) and must be removed from the European fauna.

Perittia karadaghella Sinev & Budashkin, 1991

Distribution: Crimea, Asia Minor (BUDASHKIN & SINEV, 1991, KAILA, 2009). In Ukraine it is known only from Crimea (Karadagh Nature Reserve) (BUDASHKIN & SINEV, 1991, BUDASHKIN, 2004).

Stephensia brunnicella (Linnaeus, 1767)

Material examined: 1 ♀, Crimea, Dobroe, Krasnolesie, forest road, 11-13, 20-IV-1989 (Zagulajev).

Distribution: Europe, Asia Minor (FALKOVITSH, 1981, PARENTI, 1996). In Ukraine it was known from Lvov and Ternopol regions as well as from Crimea (KLEMENCIEWICZ, 1898, STÖKL, 1922, SCHILLE, 1930, BUDASHKIN & SINEV, 1991).

Dibrachia kalki (Parenti, 1978)

Distribution: Germany, Austria (?), Italy, Slovakia, Hungary, Russia (Middle and Lower Volga, Southern Ural, Tuva), Kazakhstan (PARENTI, 1978, SINEV & SRUOGA, 1992, PARENTI, 1996, HUEMER, 2000, KAILA *et al.*, 2003, SINEV, 2008, HUEMER, 2013). In Ukraine was known only from Donetsk region (BIDZILYA & BUDASHKIN, 1998).

Elachista geminatella (Herrich-Schäffer, 1855)

Material examined: 1 ♂, Ivano-Frankovsk reg., Jaremche vic., 28-VI-2003 (Bidzilya).

Distribution: Great Britain, Spain, France, Netherland, Belgium, Denmark, Sweden, Germany, Austria, Slovakia, Latvia (KAILA *et al.*, 2001). In Ukraine it was known only from Lvov region (NOWICKI, 1860).

Notes: The *Elachista regificella*-complex comprises three closely related and possible sympatrically distributed species: *E. regificella* Sircom, 1849, *E. tengstromi* Kaila, Bengtsson, Šulcs & Junnilainen, 2001 and *E. geminatella* (Herrich-Schäffer, 1855) (KAILA *et al.*, 2001). As a result of the re-examination of the above cited specimen of “*E. regificella*” we found out that it actually referred to *E. geminatella*, whereas *E. regificella* must be removed from the fauna of Ukraine (BIDZILYA *et al.*,

2006). It is unclear which species from this complex is referred to in the “Catalogue of the Lepidoptera of Russia” (SINEV, 2008).

Elachista tengstromi Kaila, Bengtsson, Šulcs & Junnilainen, 2001

Material examined: 1 ♂, Ukraine, Kiev vic., Muzych, on light, 14-VI-2008 (Nesterov).

Distribution: Great Britain, Denmark, Norway, Sweden, Finland, Germany, Switzerland, Austria, Poland, Estonia, Latvia, Russia (North-East of the European Part, Karelia, South Kuril Islands), Japan (PARENTI, 1983, KAILA *et al.*, 2001, SUGISIMA, 2005). In Ukraine it was known only from Lvov region (NOWICKI, 1860, as *magnificella* Z., KLEMENCIEWICZ, 1905, as *magnificella* Tgstr., BRUNICKI, 1913, as *magnificella* Tgstr., STÖKL, 1922, as *magnificella* Tgstr., SCHILLE, 1930, as *magnificella* Tgstr.).

Elachista gleichenella (Fabricius, 1781)

Material examined: 1 ♀, Crimea, Demerdzhi, lavanda glade, on light, 14-VIII-2005 (Budashkin).

Distribution: Europe, Russia (Kalininograd reg., North-East and Central of the European Part, Western Caucasus, Southern Ural, South of Western Siberia, Altai, Amur reg., Primorsky krai), Transcaucasia (Georgia) (SRUOGA, 1991, KAILA, 1992, PARENTI, 1996, SINEV & SRUOGA, 1997, KAILA *et al.*, 2003, SUGISIMA, 2005, SINEV, 2008). In Ukraine it was known from Lvov and Ivano-Frankovsk regions as well as from Crimea (BRUNICKI, 1913, SCHILLE, 1930, BUDASHKIN & SINEV, 1991, SRUOGA, 1991, 2000, BUDASHKIN, 2004).

Elachista quadripunctella (Hübner, [1825])

Material examined: 1 ♂, Kiev reg., Kiev vic., Muzych, on light, 6-VII-2008 (Nesterov).

Distribution: Mainly Northern and Central Europe, Russia (?) (PARENTI, 1996, SINEV, 2008). In Ukraine was known from Lvov, Ivano-Frankovsk and Kiev regions (NOWICKI, 1860, as *quadrella* Hb., BRUNICKI, 1913, as *quadrella* Hb., SCHILLE, 1930, as *quadrella* Hb., LEBEDEV, 1937, as *quadrella* Hb., SOVINSKY, 1938, as *quadrella* Hb., BIDZILYA *et al.*, 2006).

Elachista tetragonella (Herrich-Schäffer, 1855)

Distribution: Spain, France, Sweden, Finland, Switzerland, Germany, Austria, Italy, Czech Republic, Slovakia, Bulgaria, Russia (Middle Volga, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known only from Lvov region (NOWICKI, 1860, SCHILLE, 1930).

Elachista biatomella (Stainton, 1848)

Distribution: Central and partially Southern Europe, Russia (Southern Ural (?), Altai, Transbaikalia), Kazakhstan (SRUOGA, 1991, KAILA, 1992, PUPLESIS *et al.*, 1992, PARENTI, 1996, BIDZILYA *et al.*, 1998, 2002, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine is known from Zaporozhie and Donetsk regions as well as from Crimea (BUDASHKIN & SINEV, 1991, BIDZILYA, 1995, BIDZILYA *et al.*, 2001, BUDASHKIN, 2004).

Notes: The record from Uzbekistan (KAILA, 1992) is based on the inadvertent double citation of locality from SRUOGA (1991) that actually must be referred to Kazakhstan.

Elachista argentella (Clerck, 1759)

Material examined: 1 ♂, Kiev, Kirillovskie ovragi, 31-V-1922 (Sheljuzhko); 1 ♂, 1 ♀, Ukraine, Kiev reg., Kievo-Svjatoshinskyi distr., Kruglik, forest-steppe, 14-VIII-1980 (Nesterov); 3 ♂♂, Kiev vic., Belichi, 1-VI-2006 (Nesterov); 1 ♀, Kiev vic., Muzych, on light, 1-V-2009 (Nesterov); 2 ♂♂, Odessa reg., N vic. of Kotovsk (Nikolaevskiy forest), 7-V-2010 (Khaim); 1 ♂, Kiev reg., Mironovskiy distr., Velikiy Bukrin, 20-V-2011 (Kostjuk).

Distribution: Europe, Russia (West, North-West and Central of the European Part, Volga region, Western Caucasus) (PARENTI, 1996, SINEV, 2008). In Ukraine it was known from Lvov, Ivano-

Frankovsk, Ternopol, Tchernovtsi, Zhitomir and Kiev regions (GATNAR, 1905, HORMUZAKI, 1907, BRUNICKI, 1913, KSENZHOPOLSKY, 1915, LJUBOMUDROV, 1917, SCHILLE, 1930, SOVINSKY, 1938).

Elachista pollutella (Duponchel, 1843)

Material examined: 3 ♂♂, Ukraine, Donetsk reg., Novoazovsk distr., Khomutovskaya steppe Nature Reserve, 10-V-2000 (Bidzilya); 1 ♂, 1 ♀, Crimea, Krymskiy Nature Reserve, Bolshaja Chuchel' Mt., jaila, evening collection, 3-VI-2006 (Budashkin); 2 ♂♂, Crimea, Kerch peninsula, 5 km N of Bagerovo, on light, 15-IV-2010 (Kostjuk).

Distribution: France, Belgium, Luxemburg, Switzerland, Italy, Germany, Austria, Czech Republic, Slovakia, Hungary, former Yugoslavia, Albania, Greece, Romania, Russia (Middle and Lower Volga, Middle Ural (?), Altai), Asia Minor, Mongolia (PARENTI, 1996, SINEV, 2008, KAILA, 2011). In Ukraine is known from Zaporozhie and Donetsk regions as well as from Crimea (BUDASHKIN & SINEV, 1991, BIDZILYA *et al.*, 2001, 2003, BUDASHKIN, 2004, 2006, KAILA, 2011).

Elachista rutjani Kaila, 2011

Distribution: Russia (Lower Volga, Southern Ural, Tuva) (KAILA, 2011). In Ukraine it is known only from Donetsk region (KAILA, 2011).

Elachista purella Sruoga, 2000 (det. L. Kaila) (Figs. 1, 14, 19, 20)

Material examined: 60 ♂♂, 4 ♀♀, Crimea, Karadagh, biostation, on light and in the evening in steppes and meadow-steppes habitats, 23-V-6-VI-1985, 16-V-2-VI-1986, 31-V-22-VI-1987, 19-V-13-VI-1988, 8-V-7-VI-1989 (Budashkin).

Distribution: Kazakhstan (SRUOGA, 2000). **New for Europe.**

Notes: This species was recorded from Karadagh Nature Reserve as *Elachista festucicolella* Zeller, 1853 (BUDASHKIN & SINEV, 1991). The latter must be excluded from the fauna of Crimea.

Elachista festucicolella Zeller, 1853

Distribution: Belgium (?), Sweden, Germany, Switzerland, Austria, Poland, Czech Republic (?), Slovakia (?), Hungary, Greece (?), Bulgaria, Russia (?), Asia Minor (FALKOVITSH, 1981, PARENTI, 1996). In Ukraine it is known only from Tchernovtsi region (HORMUZAKI, 1907, SCHILLE, 1930).

Elachista nitidulella (Herrich-Schäffer, 1855)

Material examined: 1 ♂, Donetsk reg., Novoazovsk distr., Khomutovskaya steppe Nature Reserve, 15-V-1996 (Bidzilya).

Distribution: France, Belgium, Germany, Switzerland, Austria, Czech Republic, Slovakia, Hungary, Romania, Russia (Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). **New for Ukraine.**

Elachista dispilella Zeller, 1839

Distribution: Europe, Russia (Kalingrad reg., North-East of the European Part) (PARENTI, 1996, SINEV, 2008). In Ukraine it is known only from Lvov region (KLEMENCIEWICZ, 1902, 1906, SCHILLE, 1930).

Elachista flavescens Parenti, 1981

Material examined: 1 ♂, Kherson reg., Tchernomorskiy Nature Reserve, Ivano-Rybal'chanskiy loc., on light, 24-V-2000 (Rutjan).

Distribution: Russia (Lower Volga, Southern Ural), Transcaucasia (Armenia), Asia Minor (PARENTI, 1981, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known only from Kherson region (BIDZILYA *et al.*, 2003).

Notes: Records from Zaporozhie and Donetsk region (BIDZILYA & BUDASHKIN, 1998, BIDZILYA *et al.*, 2001) must be referred to the next species.

Elachista spumella Caradja, 1920 (det. L. Kaila) (Figs. 3, 15, 21)

Material examined: 1 ♀, Crimea, Sevastopol', 28-VII-1981 (Nesterov); 1 ♂, Ukraine, Kamennye Mogily Nature Reserve, 18-VI-1991 (Zhakov); 3 ♂♂, 1 ♀, Ukraine, Kamennye Mogily Nature Reserve, 14-19-VII-1994 (Bidzilya); 1 ♂, Donetsk reg., Khomutovskaya steppe Nature Reserve, 15-V-1996 (Bidzilya); 1 ♀, Luhansk reg., Stanichno-Luhanskoе, 14-V-2000 (Bidzilya); 14 ♂♂, 4 ♀♀, Crimea, Tarkhankut, on light, 6-VII-2003 (Budashkin); 3 ♂♂, 2 ♀♀, Crimea, Kazantip, on light, 10-VII-2005 (Budashkin); 7 ♂♂, Crimea, S Prisivashie, Lvovo vic., halophyte steppe, evening collection, 12-V-2007, 17-V-2013 (Budashkin); 2 ♂♂, Zaporozhie reg., Zaporozhie distr., Kushugum vic., on light, 30-IV-2014 (Zhakov).

Distribution: Austria, Italy, Czech Republic, Slovakia, Croatia, Hungary, Russia (Southern Ural, Altai), Kazakhstan (KAILA, 1992, PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008, ŠUMPICH, 2013). **New for Ukraine.**

Elachista grandella Traugott-Olsen, 1992 (det. L. Kaila) (Fig. 2)

Material examined: 7 ♂♂, Kherson reg., Tsjurupinsk distr., Proletarka vic., on light, 24–25-IV-2014 (Zhakov).

Distribution: Germany, Austria, Hungary (PARENTI, 1996). **New for Ukraine.**

Elachista deceptricula Staudinger, 1880

Distribution: Spain, former Yugoslavia, Greece, Asia Minor (NIELSEN & TRAUGOTT-OLSEN, 1978, PARENTI, 1996). In Ukraine it is known only from Crimea (BUDASHKIN & SINEV, 1991).

Elachista dispunctella (Duponchel, 1843)

Material examined: 2 ♂♂, Crimea, Ai-Petri, jaila, evening collection, 24-25-VI-2002 (Budashkin).

Distribution: Central and Southern Europe, Russia (Middle and Lower (?) Volga) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known from Zaporozhie, Donetsk and Luhansk regions as well as from Crimea (BUDASHKIN & SINEV, 1991, BIDZILYA *et al.*, 2001, 2003).

Notes: Records from Zaporozhie, Donetsk and Luhansk regions (BIDZILYA *et al.*, 2001, 2003) must partially be referred to *E. spumella*.

Elachista parvula Parenti, 1978 (det. L. Kaila) (Fig. 18)

Material examined: 3 ♂♂, Crimea, Karadagh, biostation, on light, 19-V, 14-VII-1987 (Budashkin); 1 ♂, Crimea, Ai-Petri, jaila, evening collection, 26-VI-2004 (Budashkin).

Distribution: France, Belgium (?), Switzerland, Italy, former Yugoslavia, Bulgaria (PARENTI, 1978, 1996). **New for Ukraine.**

Notes: The species has erroneously been recorded from Karadagh Nature Reserve as *Elachista anitella* Traugott-Olsen, 1985 (BUDASHKIN & SINEV, 1991). The latter must be excluded from the fauna of Ukraine.

Elachista dumosa Parenti, 1981 (Fig. 4)

Material examined: 1 ♂, Crimea, Sevastopol' vic., Kolkhoznoe, on light, 25-VI-2006 (Budashkin).

Distribution: Macedonia (PARENTI, 1981, 1996). In Ukraine it is known from Zaporozhie, Donetsk and Luhansk regions as well as from Crimea (BUDASHKIN & SINEV, 1991, as *kimmeriella* sp. n., BIDZILYA *et al.*, 2001, as *kimmeriella* Sin. & Bud., 2003, as *kimmeriella* Sin. & Bud., BUDASHKIN, 2004, 2006).

Elachista laurii Bidzilya & Budashkin, sp. n.

Type material: Holotype: ♂, S-E Ukraine, z-k Provalskaya steppe, 17-V-2000 (Bidzilya) (gen. prep. 142/13, O. Bidzilya) (ZMKU). Paratypes: 7 ♂♂, S-E Ukraine, z-k Provalskaya steppe, 17-V-2000 (Bidzilya) (ZMKU); 1 ♂, [Russia], Ulyanovsk, 12-VI-1994 (Isajeva) (L. Kaila prep. 4132) (coll. V. Zolotuhin); 5 ♂♂, Russia, 140 km S Ulyanovsk, Srednikovo, steppe, 23-V-1996 (Zolotuhin) (L. Kaila prep. 3959, 3967-70) (Coll. MZH, Helsinki; coll. V. Zolotuhin); 1 ♂, 52° 50'N, 48° 19'E [Russia], 168 km S Ulyanovsk, 8 km S Vjazovka, Radishchevo distr., 3-6-VI-1998 (Zolotuhin) (L. Kaila prep. 3966) (coll. V. Zolotuhin); 1 ♂, 54° 36'N 47° 05'E, [Russia], 120 km W Ulyanovsk, Bolshoy Kuvay, 31-V, 4-VI-1999 (Zolotuhin) (L. Kaila prep. 3962) (coll. V. Zolotuhin); 2 ♂♂, Russia, Volga reg., Prov. Saratov, distr. Krasny Kut, prope pag. Djakovka, fl. Eruslan 9-13-V-2004 (Rutjan) (L. Kaila prep. 4785, 4442, DNA sample 20860 Lepid. Phyl.) (ZMKU); 1 ♂, Russia, Volgograd distr., nr. Olhovka village 12-V-2005 (Nuppenen) (L. Kaila prep. 4837, DNA sample 20847 Lepid. Phyl.) (Coll. Nuppenen).

Additional material: 1 ♂, Donetsk reg., Khomutovskaya steppe Nature Reserve, on light, 21-V-1996 (Bidzilya).

Description (Fig. 5): Wingspan 9.5-10.1 mm. Head white, tufts of scales on patagia off-white. Labial palpus rather large, outer surface white mixed with yellow, inner and upper surface white. Scapus and flagellum off-white. Thorax and tegulae white mottled with reddish. Forewing off-white with three broad diffuse reddish transversal fascias, apex shaded with reddish, dark scales sparsely scattered over the wing. Cilia reddish-white with brown marking line along apex and rather big off-white pattern near the thornal angle. Hindwing dark brown, cilia light, yellowish-grey. Abdomen moderately light, greyish-brown.

Male genitalia (Fig. 25): Uncus lobes nearly hairless, moderately big, inner margin weakly narrowed towards rounded apex, divided by deep emargination that is rather narrow in basal half and broadened in distal half. Tegumen of moderate width and length. Distal sclerite of gnatos fusiform. Valva rather broad, of moderate length, cucullus not broadened distally, costal margin broadly bulged before middle. Juxta lobes subrectangular, terminating posteriolaterally into long and narrow beak-shaped projection, medial incision deep and narrow. Labidae digitate, wide, of moderate length. Vinculum triangular, saccus not developed. Phallus of moderate length and width, evenly curved dorsoventrally, distal 1/4 tapered towards pointed apex, caecum small, no cornuti.

Female genitalia: Unknown.

Diagnosis: New species resembles *Elachista olschwangi* Kaila, 2003 (Fig. 6), that was recently described from the Southern Ural, but ground colour of forewings, hindwing and particularly their cilia are lighter. The male genitalia are similar to those of *E. olschwangi* too (Fig. 23), but uncus lobes more prolonged and narrower, with deeper medial incision, costal margin of valva weaker bulged, cucullus not broadened distally, labidae thicker and shorter, and phallus narrower.

Biology: Adults have been collected from the first decade of May to the beginning of the second decade of June.

Distribution: Ukraine (Donetsk and Luhansk regions: Khomutovskaya and Proval'skaya steppe Nature Reserves), Russia (Ulyanovsk, Saratov, Volgograd regions).

Etymology: The species is named in honor of key specialist for Elachistidae, Finnish lepidopterologist Dr. Lauri Kaila.

Notes: Holotype and eight paratypes are kept in the Zoological Museum, Kiev Taras Shevchenko National University (ZMKU), three paratypes in Finnish Museum of Natural History, Helsinki (FMNH), one paratype in the collection of K. Nuppenen (Espoo, Finland), rest of paratypes in the collection of V. Zolotuhin (Ulyanovsk, Russia).

Elachista sp. pr. *olschwangi* Kaila, 2003 (Figs. 7, 24)

Material examined: 8 ♂♂, Crimea, Kazantip, on light, 24-V-1994, 23-V-2007 (Budashkin); 1 ♀, Crimea, S slope of Uzun-Syrt, steppes habitats, evening collection, 11-V-2014 (Budashkin).

Notes: New species related to *Elachista olschwangi* Kaila, 2003 which will be described soon (L. Kaila, pers. comm.). This species was recorded from Kazantip as *Elachista pollinariella* Zeller, 1839 (BUDASHKIN, 2006). The latter must be excluded from the fauna of Crimea.

Elachista heringi (Rebel, 1899) (det. L. Kaila) (Figs. 8, 22)

Material examined: 19 ♂♂, Zaporozhie reg., Zaporozhie distr., balka Nizhnaja Khortitsa, daytime in steppe, 21-V-1990, 20, 27-V-1991, 2-VI-1992 (Budashkin); 1 ♂, Donetsk reg., Khomutovskaya steppe Nature Reserve, on light, 21-V-1996 (Bidzilya); 1 ♂, Zaporozhie reg., Zaporozhie distr., Razumovka, balka Nizhnaja Khortitsa, 17-V-1998 (Zhakov); 1 ♂, Zaporozhie reg., Tokmak distr., Zhovtneve, in grass, 24-V-1998 (Ivko); 2 ♂♂, Luhansk reg., Provalskaya steppe Nature Reserve, 17, 18-V-2000 (Bidzilya); 1 ♂, Luhansk reg., Provalskaya steppe Nature Reserve, on light, 28-30-VI-2011 (Rutjan).

Distribution: Spain, France, Italy, Austria, Czech Republic, Slovakia, Hungary, Croatia, Romania, Russia (Southern Ural, Altai) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008, ŠUMPICH, 2013). **New for Ukraine.**

Notes: This species was recorded from Zaporozhie and Donetsk regions as *Elachista pollinariella* Zeller, 1839 (BIDZILYA *et al.*, 2001, 2003). The latter must be removed from the fauna of these regions.

Elachista pollinariella Zeller, 1839

Distribution: Northern and Central Europe, Russia (Kaliningrad reg., North-West and Central of the European Part, Western Caucasus, Middle Volga, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known from Lvov and Tchernovtsy regions (HORMUZAKI, 1907, SCHILLE, 1930).

Elachista gormella Nielsen & Traugott-Olsen, 1987 (Fig. 9)

Material examined: 2 ♂♂, Crimea, Ai-Petri, 14-VI, 5-VII-2002 (Budashkin); 9 ♂♂, Crimea, Dvujakornaja bukhta, halophilic steppe, evening collection, 17-VI-2006 (Budashkin); 3 ♂♂, 1 ♀, Crimea, 1-st km of Arabatskaya strelka, halophilic-sand steppe with saline, on light, 19-V-2007 (Budashkin); 2 ♂♂, 2 ♀♀, Crimea, Shchebetovka vic., Vodjanaja balka, forest meadows, evening collection, 22-V-2007 (Budashkin).

Distribution: Balearic Islands, Portugal, Spain, France, Austria, Italy (and Sardinia), Czech Republic, Slovakia, former Yugoslavia, Hungary, Russia (Middle Volga (?)) (PARENTI, 1996, SINEV, 2008). In Ukraine it is known only from Crimea (BUDASHKIN & SINEV, 1991, BUDASHKIN, 2004).

Elachista subocellea (Stephens, 1834)

Material examined: 6 ♂♂, Crimea, Krymskiy Nature Reserve, Bolshaja Chuchel' Mt., jaila, evening collection, 3-VI-2006 (Budashkin).

Distribution: Central and Southern Europe, Russia (Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known from Lvov, Ternopol regions and Crimea (NOWICKI, 1860, as *disertella* F. R., SCHILLE, 1930, as *disertella* H.-S., TOLL, 1936, as *subcollutella* sp. n., BIDZILYA *et al.*, 2003).

Elachista nolkeni Šulcs, 1992 (det. L. Kaila) (Figs. 10, 26)

Material examined: 1 ♂, Kiev reg. [Vyshgorod distr.], vic. of Staroselie [now under the water of Kiev storage pond], on light, 19-VI-1919 (Sovinsky).

Distribution: France, Germany, Switzerland, Italy, Austria, Poland, Czech Republic, Slovakia, Estonia, Latvia, Russia (Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). **New for Ukraine.**

Elachista latipenella Sinev & Budashkin, 1991

Distribution: The species was described from Crimea (Karadagh Nature Reserve) (BUDASHKIN & SINEV, 1991, PARENTI, 1996). There are no records from other regions yet.

Elachista rudentella Stainton, 1851

Distribution: Central and Southern Europe, Russia (Southern Ural, Altai, Tuva) (KAILA, 1992, PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008, based on our materials). In Ukraine it is known from Lvov, Ivano-Frankovsk and Kherson regions (KLEMENCIEWICZ, 1901, BRUNICKI, 1913, SCHILLE, 1930, BIDZILYA *et al.*, 2003).

Elachista pullicomella Zeller, 1839

Material examined: 1 ♂, Ukraine, Nikolaev reg., Yuzhnyi Bug river near Pervomaisk, 22-V-1980 (Nesterov); 1 ♀, Kiev reg., Kievo-Svjatoshinskiy distr., Kruglik, forest-steppe, 11-VII-1980 (Nesterov); 1 ♂, Kherson reg., Tsjurupinskiy distr., N. Majachka, 27-V-1984 (Nesterov); 1 ♂, Zaporozhie reg., Zaporozhie distr., balka Nizhnaja Khortitsa, day-time in steppe, 21-V-1990 (Budashkin); 1 ♂, Zaporozhie reg., Orehovskiy distr., 5 km N of Kirovo, 20-VII-2000 (Zhakov); 1 ♀, Ukraine, Kamennye Mogily Nature Reserve, on light, 7-V-2002 (Rutjan); 1 ♂, Crimea, Krymskiy Nature Reserve, kordon Zelenyi Gai, on light, 2-VI-2006 (Budashkin); 1 ♂, Crimea, Krymskiy Nature Reserve, Shakhty, on light, 25-VII-2006 (Budashkin); 1 ♂, Kiev reg., Kiev vic., Belichi, 1-VI-2006 (Nesterov); 13 ♂♂, Kiev reg., Kiev vic., Muzych, on light, 22-V, 27-VII, 1-VIII-2006, 12, 21-VII-2007, 16-VII-2008, 10-VIII-2010 (Nesterov); 2 ♂♂, Kiev reg., Mironovka distr., Velikiy Bukrin vic., on light, 20-V-2011 (Kostjuk); 1 ♂, Zaporozhie reg., Primorskiy distr., Azov, on light, 8, 9-VII-2011 (Zhakov); 1 ♀, Kiev reg., Obukhov distr., Dmitrovichi, on light, 17-V-2013 (Kostjuk).

Distribution: Western Europe, Russia (West, North-West, North and Central of the European Part, Middle Volga, Southern Ural), Kazakhstan (KAILA, 1992, PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov, Ternopol, Zaporozhie and Donetsk regions as well as from Crimea (NOWICKI, 1860, as *pulella* F. R. and *pullicomella* Z., KLEMENCIEWICZ, 1898, 1899, as *pullella* H.-S., SCHILLE, 1930, BUDASHKIN & SINEV, 1991, SRUOGA, 1991, BIDZILYA *et al.*, 2001, 2003, BUDASHKIN, 2004).

Elachista bedellella (Sircom, 1848)

Distribution: Europe, Russia (Kalininograd reg., North-West and Central of the European Part, Middle Volga, Southern Ural, Burjatia, Transbaikalia), Central Asia (Kirgizia (?)) (KAILA, 1992, PARENTI, 1996, BIDZILYA *et al.*, 1998, KAILA *et al.*, 2003, KAILA, 2007, SINEV, 2008). In Ukraine it is known from Tchernovtsy and Zaporozhie regions (HORMUZAKI, 1907, BIDZILYA *et al.*, 2003).

Elachista hedemanni Rebel, 1899

Material examined: 6 ♂♂, 4 ♀♀, Crimea, Tepe-Oba, steppe habitats, evening collection, 16-V-2006, 5-V-2007, (Budashkin); 3 ♀♀, Crimea, S slope of Uzun-Syrt, steppe biotopes, evening collection, 7, 11-V-2014 (Budashkin).

Distribution: Spain, Germany, Austria, Poland, Czech Republic, Slovakia, Hungary, Bulgaria, Russia (Middle Volga, Southern Ural, Tuva), Mongolia (PARENTI, 1991, 1996, KAILA *et al.*, 2003, SINEV, 2008, KAILA, 2012). In Ukraine it is known from Kherson and Luhansk regions as well as from Crimea (BUDASHKIN & SINEV, 1991, as *tauricella* sp. n., BIDZILYA *et al.*, 2003, as *tauricella* Sin. & Bud., BUDASHKIN, 2004, KAILA, 2012).

Elachista exigua Parenti, 1978 (Fig. 11)

Material examined: 2 ♂♂, Crimea, Ai-Petri, 14-VI, 5-VII-2002 (Budashkin).

Distribution: France, Switzerland, Italy, Albania (PARENTI, 1978, 1996). In Ukraine it was known only from Crimea (Karadagh Nature Reserve) (BUDASHKIN & SINEV, 1991, BUDASHKIN, 2004).

Elachista littoricola Le Marchand, 1938 (Figs. 12, 16, 27)

= *Elachista volgella* Lastukhin, 2009, **syn. nov.**

Material examined: 1 ♂, Ukraine, Donetsk reg., Khomutovskaya steppe Nature Reserve, 11-V-1996 (Bidzilya); 1 ♂, Crimea, Karadagh, biostation, on light, 15-VI-1998 (Budashkin); 1 ♂, Crimea, Dvujakornaya bukhta, halophilic steppe, at day-time, 3-IX-2006 (Budashkin); 1 ♂, Crimea, S Prisivashie, Lvovo vic., evening collection in halophilic steppe, 3-VI-2007 (Budashkin); 1 ♂, 1 ♀, Kiev reg., Kiev vic., Muzychchi, on light, 31-VII-2008, 10-VIII-2010 (Nesterov); 1 ♀, Odessa reg., SW vic. of Kotovsk, Tokarskiy garden, 5-V-2010 (Khaim).

Distribution: Great Britain, France, Denmark, Germany, Italy, Czech Republic, Slovakia, Finland, Estonia, Latvia, Russia (Middle and Lower Volga, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008, LASTUKHIN, 2009). **New for Ukraine.**

Notes: *Elachista volgella* was described from the single male collected on the light trap in Astrakhanskiy Nature Reserve (Russia, Astrakhan' region) (LASTUKHIN, 2009). In the original description the species is compared with *E. pullicomella*. However, as far as one can judge from the rather unclear photographs of adult and the genitalia, the habitus, phallus, valva and other characters of *E. volgella* are indistinguishable from those of *E. littoricola*. We therefore synonymize it with the latter.

Elachista squamosella (Herrich-Schäffer, 1855)

Material examined: 1 ♂, Ukraine, Luhansk reg., Provalskaya steppe Nature Reserve, on light, 27-VIII-1987 (Kostjuk & Pljushch); 3 ♂♂, Donetsk reg., Khomutovskaya steppe Nature Reserve, 5, 7-V-1996 (Bidzilya); 1 ♂, Zaporozhie reg., Zaporozhie distr., balka Krylovskaya, 13-V-1997 (Zhakov); 3 ♂♂, Luhansk reg., Melovoe distr., Strel'tsovskaya steppe Nature Reserve, 6-8-VII-2002 (Bidzilya); 1 ♂, Crimea, Sevastopol' vic., Kolkhoznoe, on light, 25-VI-2006 (Budashkin); 1 ♂, Zaporozhie reg., Melitopol' distr., balka Troitskaya, on light, 30-VII-2012 (Zhakov).

Distribution: Central and Southern Europe, Russia (Southern Ural, Altai) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine is known from Lvov, Zaporozhie and Donetsk regions as well as from Crimea (NOWICKI, 1860, SCHILLE, 1930, BUDASHKIN & SINEV, 1991, SRUOGA, 1991, BIDZILYA, 1995, as *chrysodesmella* Z., BIDZILYA *et al.*, 2001, 2003, BUDASHKIN, 2004).

Elachista chrysodesmella Zeller, 1850

Distribution: Central and Southern Europe, Russia (North-West and Central of the European Part), Asia Minor (FALKOVITSH, 1981, PARENTI, 1996, SINEV, 2008). In Ukraine it is known only from Crimea (BUDASHKIN & SINEV, 1991).

Notes: The record from Luhansk region (BIDZILYA, 1995) must be referred to *E. squamosella* (Herrich-Schäffer, 1855).

Elachista gangabella Zeller, 1850

Material examined: 1 ♂, Ukraine, Kiev reg., Irpen', forest edge, 30-VI-1980 (Nesterov).

Distribution: Central and partially Southern Europe, Russia (Kalininograd reg., Central of the European Part, Western Caucasus, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov and Kiev regions (NOWICKI, 1860, KLEMENCIEWICZ, 1898, SCHILLE, 1930, LEBEDEV, 1937, as *taeniatella* Stt., SOVINSKY, 1938, as *taeniatella* Stt.).

Elachista bisulcella (Duponchel, 1843)

Distribution: Northern and Central Europe, Russia (Kalininograd reg., North-West of the European Part, Middle Volga, Altai) (KAILA, 1992, PARENTI, 1996, SINEV, 2008). In Ukraine it is known only from Lvov region (NOWICKI, 1860, SCHILLE, 1930, as *zonariella* Tgstr.).

Elachista obliquella Stainton, 1854

Material examined: 1 ♂, Ukraine, Luhansk reg., Proval'skaya steppe Nature Reseve, 17-V-2000

(Bidzilya); 1 ♀, Luhansk reg., Melovoe distr., Strel'tsovskaya steppe Nature Reserve, 7-VII-2002 (Bidzilya).

Distribution: Europe, Russia (Kalininograd reg., North-West and Central of the European Part, Western Caucasus, Middle Volga, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known from Ivano-Frankovsk, Kiev and Luhansk regions as well as from Crimea (BRUNICKI, 1913, as *megerrella* Stt., SCHILLE, 1930, as *megerrella* Stt., LEBEDEV, 1937, as *megerrella* Stt., SOVINSKY, 1938, as *megerrella* Stt., BUDASHKIN & SINEV, 1991, as *megerrella* Hb., BIDZILYA *et al.*, 2003, as *megerrella* Hb., BUDASHKIN, 2004, as *megerrella* Hb.).

Elachista adscitella Stainton, 1851

Distribution: Europe, Russia (North-West and Central of the European Part, Eastern Caucasus, Southern Ural, Irkutsk reg., Primorsky krai) (PARENTI, 1996, SINEV & SRUOGA, 1997, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it is known only from Ivano-Frankovsk region (BIDZILYA *et al.*, 2006).

Elachista cingillella (Herrich-Schäffer, 1855)

Material examined: 1 ♂, Kiev reg., Obukhov distr., Malye Dmitrovichi, 11-VII-2013 (Kostjuk).

Distribution: Great Britain, Norway, Finland, France, Austria, Czech Republic, Poland, Hungary, Romania, Russia (Karelia, Southern Ural, Primorsky krai) (PARENTI, 1996, KAILA & JUNNILAINEN, 2002, KAILA *et al.*, 2003, SINEV, 2008, LAŠTUVKA & LIŠKA, 2011). In Ukraine it was known only from Crimea (BUDASHKIN & SINEV, 1991).

Elachista fasciola Parenti, 1983

Material examined: 3 ♂♂, Kiev reg., Kiev vic., Muzychi, on light, 27, 30-VII-2007, 13-VI-2008 (Nesterov).

Distribution: Italy, Czech Republic, Slovakia, Poland, Latvia, Russia (Middle Volga, Southern Ural, Primorsky krai), Japan (PARENTI, 1983, 1996, SINEV & SRUOGA, 1997, KAILA, JUNNILAINEN, 2002, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known only from Ivano-Frankovsk region (BIDZILYA *et al.*, 2006).

Elachista subalbidella Schläger, 1847

Distribution: Europe, Russia (Kalininograd reg., North-West, North and Central of the European Part, Southern Ural, Irkutsk reg.), North America (KAILA, 1992, PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Ivano-Frankovsk region (BIDZILYA *et al.*, 2006). Records from Lvov and Ternopol regions (SCHILLE, 1930) need confirmation.

Elachista apicipunctella Stainton, 1849

Distribution: Northern and Central Europe, Russia (North-West and North of the European Part, Southern Ural, Transbaikalia), Japan (PARENTI, 1983, 1996, KAILA *et al.*, 2003, SINEV, 2008, based on our material). In Ukraine it was known from Lvov, Ivano-Frankovsk and Ternopol regions (KLEMENCIEWICZ, 1898, STÖKL 1922, SCHILLE, 1930).

Elachista dimicatella Rebel, 1903

Material examined: 2 ♂♂, Ukraine, Ivano-Frankovsk reg., Carpathian Mts., Tchornogora Range, Pip Ivan Mt., 2000 m, 27-VI-2003 (Bidzilya).

Distribution: France, Germany, Switzerland, Italy, Austria, Slovakia, Poland, Romania (PARENTI, 1996). In Ukraine it was known only from Ivano-Frankovsk region (BRUNICKI, 1913, SCHILLE, 1930).

Elachista bifasciella Treitschke, 1833

Material examined: 5 ♂♂, Ukraine, Ivano-Frankovsk reg., Jaremtche distr., Vorokhta vic.,

Pozhezhevskaya Mt., 1500 m, 27-VII-1989 (Ermolenko); 1 ♀, Zakarpatskiy reg., Rakhov distr., Karpatskiy Nature Reserve, Goverla Mt., 200 m, Picea-Fagus forest, 7-VIII-1989 (Ermolenko).

Distribution: Central Europe, Russia (Central of the European Part, Middle Volga) (PARENTI, 1996, SINEV, 2008). In Ukraine it was known from Lvov and Ivano-Frankovsk regions (NOWICKI, 1865, BRUNICKI, 1913, SCHILLE, 1930, BIDZILYA *et al.*, 2006).

Elachista albifrontella (Hübner, [1817])

Material examined: 1 ♂, Ukraine, Kiev vic., Irpen', 15-VI-1980 (Nesterov); 1 ♀, Kiev vic., Romanovka, 30-VI-1980 (Nesterov); 1 ♀, Kiev reg., Kievo-Svjatoshinskiy distr., Kruglik, forest-steppe, 14-VII-1980 (Nesterov).

Distribution: Northern and Central Europe, Russia (Kaliningrad reg., North-West, North and Central of the European Part, Middle Volga, Southern Ural, Altai, Irkutsk reg., Transbaikalia) (KAILA, 1992, BUDASHKIN & KOSTJUK, 1994, PARENTI, 1996, BIDZILYA *et al.*, 1998, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov, Ivano-Frankovsk and Ternopol regions (NOWICKI, 1860, KLEMENCIEWICZ, 1899, STÖKL, 1908, BRUNICKI, 1913, SCHILLE, 1930).

Elachista atricomella Stainton, 1849

Distribution: Europe, Russia (Central of the European Part, Western Caucasus) (PARENTI, 1996, SINEV, 2008). In Ukraine was known from Kiev region and from Crimea (LEBEDEV, 1937, as *holdenella* Stt., SOVINSKY, 1938, as *holdenella* Stt., BUDASHKIN & SINEV, 1991, BUDASHKIN, 2004).

Elachista luticomella Zeller, 1839

Distribution: Northern and Central Europe, Russia (Kaliningrad reg., North-West and Central of the European Part) (PARENTI, 1996, SINEV, 2008). Records from Transbaikalia, Primorsky krai and probably from Mongolia should be referred to closely related *Elachista baikalica* Kaila, 1992 (SINEV & SRUOGA, 1997, BIDZILYA *et al.*, 1998, KAILA *et al.*, 2003). In Ukraine it was known from Lvov and Ivano-Frankovsk regions (KLEMENCIEWICZ, 1902, 1906, BRUNICKI, 1913, SCHILLE, 1930, BIDZILYA *et al.*, 2006).

Elachista griseella (Duponchel, 1843)

Material examined: 3 ♂♂, Crimea, Karadagh Nature Reserve, talweg of balka Karadagskaya, evening collection, 21-V-2006 (Budashkin); 1 ♂, Crimea, Kazantip, at day-time in meadow steppe, 23-V-2006 (Budashkin); 3 ♂♂, Crimea, Shchebetovka vic., Vodjanaya balka, evening collection, 15, 17-V-2007, 21-V-2008 (Budashkin).

Distribution: France, Switzerland, Italy, Austria, Poland, Czech Republic, Slovakia, Hungary, former Yugoslavia, Romania, Russia (Irkutsk reg.) (KAILA, 1992, PARENTI, 1996, SINEV, 2008). In Ukraine it was known only from Crimea (BUDASHKIN & SINEV, 1991, BUDASHKIN, 2004).

Elachista subnigrella Douglas, 1853

Distribution: Northern and Central Europe, Russia (?) (PARENTI, 1996, SINEV, 2008). In Ukraine it is known only from Lvov region (BRUNICKI, 1913, SCHILLE, 1930).

Elachista humilis Zeller, 1850

Distribution: Northern and Central Europe, Russia (Kaliningrad reg., North-West, North and Central of the European Part, Middle Volga, Transbaikalia (?)) (PARENTI, 1996, BIDZILYA *et al.*, 1998, SINEV, 2008). In Ukraine it is known from Lvov and Ivano-Frankovsk regions (NOWICKI, 1865, HORMUZAKI, 1910, as *perplexella*, BRUNICKI, 1913, as *perplexella* Stt. and *humilis* Z., SCHILLE, 1930, as *perplexella* Stt. and *humilis* Z., BIDZILYA *et al.*, 2006).

Elachista herrichii Frey, 1859

Material examined: 1 ♂, Crimea, Ai-Petri, in the evening on jaila, 26-VII-1989 (Budashkin); 1 ♂,

Ukraine, Zaporozhie vic., balka Nizhnaja Khortitsa, at day-time in steppe, 12-VI-1991 (Zhakov); 6 ♂♂, Zaporozhie, Khortitsa Island, at day-time in steppe, 15, 20, 25-VI-1991 (Zhakov); 1 ♂, Zaporozhie reg., Gusarka vic., Sukhaya Konka river, 22-VI-1998 (Zhakov); 1 ♂, Crimea, Kazantip, on light, 10-VII-2005 (Budashkin).

Distribution: France, Belgium, Switzerland, Italy, Germany, Austria, Poland, Czech Republic, Slovakia, Hungary, Latvia, Romania, Russia (West and North-West of the European Part, Southern Ural, Altai, Tuva) (PARENTI, 1996, BIDZILYA *et al.*, 2002, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov and Zaporozhie regions as well as from Crimea (BRUNICKI, 1913, as *reutiana* Frey, SCHILLE, 1930, as *reutiana* Frey, BIDZILYA *et al.*, 2003, as *elegans* Frey, KAILA *et al.*, 2008).

Notes: This species was erroneously recorded from Crimea and Zaporozhie region as *Elachista elegans* Frey, 1859 (BUDASHKIN & SINEV, 1991, BIDZILYA *et al.*, 2003, BUDASHKIN, 2004, 2006). Material from Crimea (Karadagh Nature Reserve) has been authentically re-determined by L. Kaila (KAILA *et al.*, 2008), hence *E. elegans* must be removed from both Crimea and Ukraine.

Elachista canapennella (Hübner, [1813])

Distribution: Northern and Central Europe, Russia (North-West, North and Central of the European Part, Middle Volga) (PARENTI, 1996, SINEV, 2008). In Ukraine it is known from Lvov and Ivano-Frankovsk regions (NOWICKI, 1860, as *incanella* F. R., KLEMENCIEWICZ, 1901, as *obscurella* Stt., SCHILLE, 1930, as *incanella* H.-S., BIDZILYA *et al.*, 2006).

Elachista alpinella Stainton, 1854

Material examined: 1 ♂, Ukraine, Sumy reg., Konotop distr., Jurievka, on light, 8-VIII-2000 (Govorun); 1 ♀, Kiev vic., Muzych, on light, 21-VII-2008 (Nesterov); 1 ♂, Zhitomir reg., Emil'chino vic., h=204 m, on light, 18-VIII-2012 (Kostjuk).

Distribution: Northern and Central Europe, Russia (North-West, North and Central of the European Part, Southern Ural) (PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known only from Lvov region (BRUNICKI, 1913, as *monticola* Wck., SCHILLE, 1930, as *monticola* Wck., STÖKL, 1936, as *monticola* Wck.).

Elachista anserinella Zeller, 1839

Material examined: 1 ♂, Ukraine, Kiev vic., Glevakha, 13-VII-2005 (Bidzilya).

Distribution: Europe, Russia (Central of the European Part, Middle Volga, Southern Ural, South of the Western Siberia, Transbaikalia) (KAILA, 1992, PARENTI, 1996, BIDZILYA *et al.*, 1998, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov and Ternopol regions (NOWICKI, 1860, KLEMENCIEWICZ, 1898, SCHILLE, 1930).

Elachista rufocinerea (Haworth, 1828)

Distribution: Central and Southern Europe, Asia Minor (FALKOVITSH, 1981, PARENTI, 1996). In Ukraine it is known from Lvov and Tchernovtsy regions (KLEMENCIEWICZ, 1902, HORMUZAKI, 1907, SCHILLE, 1930).

Elachista maculicerusella Bruand, 1859

Material examined: 15 ♂♂, Ukraine, Kiev, 2, 6-VI, 7-24-VII-1927; 8-IX-1928 (Zhikharev); 1 ♂, Lvov reg., Morshin, 26-V-1998 (Rutjan); 1 ♂, Kiev vic., Muzych, on light, 13-VI-2008 (Nesterov).

Distribution: Northern and Central Europe, Russia (Kalininograd reg., North-West, North and Central of the European Part, Middle Volga, Southern Ural, South of the Western Siberia), Asia Minor, Kazakhstan (FALKOVITSH, 1981, KAILA, 1992, PARENTI, 1996, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Ivano-Frankovsk and Kiev regions (BRUNICKI, 1913, as *cerusella* Hb., ZHIKHAREV, 1928, as *cerusella* Hb., SCHILLE, 1930, as *cerusella* Hb., STÖKL, 1936, as *cerusella* Hb.).

Biselachista contaminatella (Zeller, 1847) (det. L. Kaila) (Figs. 13, 17, 28)

= *Biselachista arzamastsevi* Lastukhin, 2009, **syn. nov.**

Material examined: 1 ♂, Crimea, Karadagh, biostation, on light, 11-VI-1977 (Falkovitsh); 2 ♂♂, 2 ♀♀, Crimea, Karadagh, biostation, on light, 15-V-1985, 21-VII-1987, 3-VII-1989 (Budashkin); 2 ♂♂, 1 ♀, Zaporozhie reg., Zaporozhie distr., Konka river, Rybkhоз, on light, 17-VII-1987 (Zhakov); 3 ♂♂, Luhansk reg., Stanichno-Luhanskoе, 14-V-2000 (Bidzilya); 3 ♂♂, Zaporozhie reg., Akimovka distr., Bogatyr, 9, 11, 22-VII-2000 (Getmanchuk); 7 ♂♂; Crimea, Dvujakornaja bukhta, evening collection, 16, 17-V-2006 (Budashkin); 1 ♂, Crimea, S Prisivashie, Lvov vic., halophilic steppe, evening collection, 25-V-2006 (Budashkin); 1 ♂, Crimea, 1-st km of Arabatskaya strelka, halophilic-sand steppe with saline, on light, 19-V-2007 (Budashkin); 1 ♀, Crimea, Kazantip, on light, 23-V-2007 (Budashkin); 1 ♂, Odessa region, Belaevо distr., 7 km W of Majaki, Nizhnednestrovskiy National Park, 7-V-2012 (Khaim); 1 ♂, Luhansk reg., S vic. of Severodonetsk, dacha near Kleshnja lake, on light, 7-VIII-2013 (Demjanenko).

Distribution: Canary Islands, Portugal, Spain, France, Italy (including Sicilia and Sardinia Islands), Austria, Slovakia, Hungary, former Yugoslavia, Bulgaria, Albania, Russia (Lower Volga, Southern Ural) (PARENTI, 1996, SINEV, 2008, LASTUKHIN, 2009), Turkmenistan (SRUOGA, 1990).

Notes: The species was erroneously recorded as *Biselachista albidella* (Nylander, 1848) from Crimea (BUDASHKIN & SINEV, 1991), Zaporozhie and Luhansk regions (BIDZILYA *et al.*, 2003). **New for Ukraine.**

Biselachista arzamastsevi was described from two males collected on the light trap in Astrakhanskiy Nature Reserve (Russia, Astrakhan' region) (LASTUKHIN, 2009). The drawing of the holotype and the photograph of the male genitalia of *B. arzamastsevi* in the original description fully agree in all details with *B. contaminatella*, so that there remains no doubt of the synonymy of these species.

Biselachista cinereopunctella (Haworth, 1828)

Distribution: Europe, Russia (Primorsky krai) (PARENTI, 1996, SINEV & SRUOGA, 1997, SINEV, 2008). In Ukraine it is known only from Lvov region (BRUNICKI, 1913, SCHILLE, 1930).

Biselachista utonella (Frey, 1856)

Material examined: 1 ♂, Ukraina m., Nikolajev (in urbe), lum, 1-VIII-1932 (Obraztsov); 1 ♂, Odessa reg., Belaevо distr., 7 km W of Majaki, Nizhnednestrovskiy National Park, 7-V-2012 (Khaim); 1 ♂, Nikolaev reg., Pervomaisk distr., S vic. of Kuripchino, 8-VI-2012 (Khaim).

Distribution: Europe, Russia (Kaliningrad reg., North-West and North of the European Part, Middle and Lower Volga, Southern Ural, Primorsky krai) (PARENTI, 1996, SINEV & SRUOGA, 1997, KAILA *et al.*, 2003, SINEV, 2008). In Ukraine it was known from Lvov, Ivano-Frankovsk, Zaporozhie and Donetsk regions (STÖKL 1908, as *paludum* Frey, BRUNICKI, 1913, as *paludum* Frey, SCHILLE, 1930, as *paludum* Frey, BIDZILYA *et al.*, 2001).

Cosmiotes consortella (Stainton, 1851)

Material examined: 4 ♂♂, Crimea, Dvujakornaja bukhta, halophilic steppe, evening collection, 2-VI-2007 (Budashkin).

Distribution: Europe, Transcaucasia, (Georgia), Central Asia (Tadzhikistan) (SRUOGA, 1991, KAILA, 1992, PARENTI, 1996). In Ukraine it was known from Zaporozhie region and from Crimea (BUDASHKIN & SINEV, 1991, BIDZILYA *et al.*, 2003).

Cosmiotes exactella (Herrich-Schäffer, 1855)

Material examined: 1 ♂, Crimea, cape Sarych, mountains slopes, 7-V-1991 (Lvovsky).

Distribution: Europe, Russia (North-West, North and Central of the European Part, Transbaikalia, Sakhalin Island, South Kuril Islands, Primorsky krai) (PARENTI, 1996, SINEV & SRUOGA, 1997,

BIDZILYA *et al.*, 1998, SINEV, 2008). In Ukraine it was known only from Lvov region (NOWICKI, 1860, as *parvulella* F. R., BRUNICKI, 1913, SCHILLE, 1930). **New for Crimea.**

Cosmiotes stablella (Stainton, 1858)

Distribution: Mainly Central Europe, Russia (Altai, Transbaikalia, Sakhalin Island, Primorskyi krai) (PARENTI, 1996, SINEV & SRUOGA, 1997, BIDZILYA *et al.*, 1998, 2002, SINEV, 2008). In Ukraine it is known only from Lvov region (SCHILLE, 1930).

Cosmiotes freyerella (Hübner, [1825])

Distribution: Europe, Russia (North-West, North and Central of the European Part, Western Caucasus, Middle Volga, Primorskyi krai) (KAILA & JALAVA, 1994, PARENTI, 1996, SINEV & SRUOGA, 1997, SINEV, 2008). In Ukraine it is known from Lvov, Tchernovtsy and Khmelnitskiy regions (NOWICKI, 1865, as *arundinella* Z., KLEMENCIEWICZ, 1907, as *nigrella* Hw. ♂ ab. *Elutella* m., HORMUZAKI, 1907, as *nigrella* Hw., BRUNICKI, 1913, as *nigrella* Hw., KHRANEVITCH, 1927, as *nigrella* Hw., SCHILLE, 1930, as *nigrella* Hw. and *arundinella* Z.).

Acknowledgements

We cordially thank U. Parenti (†), S. Sinev (Sankt-Petersburg, Russia), V. Srunga (Vilnius, Lithuania), L. Aarvik (Oslo, Norway) and K. Nupponen (Espoo, Finland) for helping with literature sources and species identification. We are indebted to L. Kaila (Helsinki, Finland) for important faunistic information, invaluable help with identification of some species and critical comments on MS. We are happy to express our gratitude to our Ukrainian colleagues Z. Gershenson and V. Kornev for assistance during our work with the collection of Schmalhausen Institute of Zoology, Academy of Sciences of Ukraine, I. Kostjuk and V. Fursov for taking the photographs of adults and genitalia slides of some species as well as to all who kindly provided materials in our disposal.

BIBLIOGRAPHY

- BIDZILYA, O. V., 1995.– New and little-known species of Microlepidoptera of the fauna of Ukraine.– *Zhurnal Ukrainskogo entomologichnogo tovarystva*, 2(1): 35-38 (1994). [In Russian]
- BIDZILYA, O. V. & BUDASHKIN, YU. I., 1998.– New records of Microlepidoptera from Ukraine.– *Zhurnal Ukrainskogo entomologichnogo tovarystva*, 4(3-4): 3-16. [In Russian]
- BIDZILYA, O. V., BUDASHKIN, YU. I., KLJUCHKO, Z. F. & KOSTJUK, I. YU., 2002.– A contribution to the knowledge of the Lepidoptera fauna of the Ukok plateau in south-eastern Altai, Russia.– *Entomofauna*, 23(17): 201-220.
- BIDZILYA, O., BUDASHKIN, YU., KLJUCHKO, Z., KOSTJUK, I. & KULLBERG, J., 2006.– A contribution to the fauna of Lepidoptera of south-eastern part of Ukrainian Carpathian.– *Pratsi Zoologichnogo Museju Kievskego Natsionalnogo Universitetu imeni Tarasa Shevchenka*, 4: 21-52. Kievskyi Universitet. Kyiv. [In Ukrainian]
- BIDZILYA, O. V., BUDASHKIN, YU. I. & KOSTJUK, I. YU., 1998.– Additions to the Microlepidoptera fauna of Transbaikalia.– *Zhurnal Ukrainskogo entomologichnogo tovarystva*, 4(1-2): 33-63. [In Russian]
- BIDZILYA, O. V., BUDASHKIN, YU. I. & ZHAKOV, A. V., 2002 (2003).– New records of Lepidoptera (Insecta: Lepidoptera) from Ukraine.– *Izvestija Kharkovskogo Entomologicheskogo obshchestva*, 10(1-2): 59-75. [In Russian]
- BIDZILYA, O. V., BUDASHKIN, YU. I., ZHAKOV, A. V., KLJUCHKO, Z. F. & KOSTJUK, I. YU., 2001.– Fauna of the Lepidoptera of Kamennye Mogily Nature Reserve and its taxonomical structure.– *Karadagh. Istorija, biologija, arkheologija. (Sbornik nauchnykh statei, posvyashchennyh 85-letiju Karadagskoj biologicheskoi stantsii imeni T. I. Vjasemskogo)*: 72-107. Sonat. Simpheropol. [In Russian]
- BRUNICKI, J., 1913.– Spis motyli zebranych w powiecie stryjskim. Część 5.– *Sprawozdanie Komisyi Fizjograficznej*, 47(2): 52-90.
- BUDASHKIN, YU. I., 2004.– Results of twenty-year permanent study of Lepidoptera fauna of Karadagh Nature

- Reserve.– *Karadagh. Istoria, geologija, botanika, zoologija* (*Sbornik nauchnyh statei, posvyashchennyh 90-letiju Karadagskoj biologicheskoi stantsii imeni T. I. Vjasemskogo i 25-letiju Karadagskogo prirodnoego zapovednika NAN Ukrayiny*), **1**: 323-366. Sonat. Simpheropol. [In Russian]
- BUDASHKIN, YU. I., 2006.– Materials to the Lepidoptera-fauna of Kazantip Nature Reserve.– *Biodiversity of Nature Reserves of Kerch Peninsula. Trudy Nikitskogo botanicheskogo sada*, **126**: 263-291. [In Russian]
- BUDASHKIN, YU. I. & KOSTJUK, I. YU., 1994.– To the fauna of Microlepidoptera of Transbaikalia.– *Tcheshuekrylye Zabaikalia. Sbornik nauchnykh trudov zapovednika Daurskiy*, **2**: 5-30. [In Russian]
- BUDASHKIN, YU. I. & SINEV, S. YU., 1991.– Grass-mining moths (Lepidoptera, Elachistidae) of Karadagh Nature Reserve.– *Entomologicheskoe Obozrenie*, **70**(3): 574-585. [In Russian]
- FALKOVITSH, M. I., 1981.– 35. Elachistidae - grass-mining moths.– *Opredelitel' nasekomykh evropeiskoi tchasti SSSR. 4. Tcheshuekrylye*, **2**: 479-523. Nauka. Leningrad. [In Russian]
- GATNAR, O., 1905.– Beitrag zur Lepidopterenfauna von Lemberg.– *Wiener entomologischer Verein. Jaresberichte*, **16**: 39-50.
- HORMUZAKI, K., 1907.– Die Schmetterlinge (Lepidoptera) der Bukowina. III. Tiel: Familien Pyralidae bis Micropterigidae.– *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, **57**: 34-104.
- HORMUZAKI, K., 1910.– Nachtrag zur Microlepidopterenfauna der Bukowina.– *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, **60**: 396-403.
- HUEMER, P., 2000.– Additions and corrections to the fauna of butterflies and moths of Austria.– *Beiträge zur Entomofaunistik*, **1**: 39-56.
- HUEMER, P., 2013.– *Die Schmetterlinge Österreichs (Lepidoptera). Systematische und faunistische Checkliste*. Studiohefte **12**: 1-304.
- KAILA, L., 1992.– The Elachistidae of southern Siberia and Central Asia, with descriptions of five new species (Lepidoptera).– *Entomologica Fennica*, **3**: 177-194.
- KAILA, L., 1999.– Phylogeny and classification of the Elachistidae s. s. (Lepidoptera: Gelechioidea).– *Systematic Entomology*, **24**: 139-169.
- KAILA, L., 2007.– A taxonomic revision of the *Elachista bedellella* (Sircom) complex (Lepidoptera: Elachistidae: Elachistinae).– *Zootaxa*, **1629**: 1-25.
- KAILA, L., 2009.– Notes on the genus *Perittia* of the West Palaearctic region, with descriptions of three new species (Lepidoptera: Elachistidae).– *Zootaxa*, **2230**: 16-28.
- KAILA, L., 2011.– On species related to *Elachista pollutella* Duponchel (Lepidoptera, Elachistidae), with descriptions of four new Palaearctic species.– *Entomologica Fennica*, **22**: 129-139.
- KAILA, L., 2012.– On species related to *Elachista hedemanni* Rebel (Lepidoptera: Elachistidae: Elachistinae), with descriptions of three new Palaearctic species.– *Zootaxa*, **3316**: 28-39.
- KAILA, L., BENGTSSON, B. A., ŠULCS, I. & JUNNILAINEN, J., (2001).– A revision of the *Elachista regificella* Sircom -complex (Lepidoptera: Elachistidae).– *Entomologica Fennica*, **12**: 153-168.
- KAILA, L. & JALAVA, J., 1994.– *Elachista adelpha* sp. n., *Elachista coeneni titanella* ssp. n., and other Elachistidae (Lepidoptera) from North Caucasus.– *Entomologica Fennica*, **5**: 97-102.
- KAILA, L. & JUNNILAINEN, J., 2002.– Taxonomy and identification of *Elachista cingillella* (Herrich-Schäffer, 1855) and its close relatives (Lepidoptera: Elachistidae), with descriptions of two new species.– *Entomologica Fennica*, **13**: 167-188.
- KAILA, L., MUTANEN, M., SAARELA, E., SILOAHO, R., SIPPOLA, L. & TABELL, J., 2008.– *Elachista deriventa* sp. n. (Lepidoptera, Elachistidae: Elachistinae), a new species from southern Finland.– *Entomologica Fennica*, **19**: 184-192.
- KAILA, L., NUPPONEN, K., JUNNILAINEN, J., NUPPONEN, T., KAITLA, J.-P. & OLSCHWANG, V., 2003.– Contribution to the fauna of Elachistidae (Lepidoptera) of the Southern Ural Mountains.– *Entomologica Fennica*, **14**: 65-90.
- KHRANEVITSCH, V. P., 1927.– “Microlepidoptera” Podillja (perevazhno Kamjanetz-Podilskoi okrugi).– *Zapiski Sil's'ko-Hospodarskogo Instituti v Kamjantsi na Podillju. Knyga*, **4**: 1-20. [In Ukrainian]
- KLEMENCIEWICZ, S., 1898.– O nowych i mało znanych gatunkach Motyli fauny Galicyjskiej.– *Sprawozdanie Komisyi Fizjograficznej*, **33**: 113-190.
- KLEMENCIEWICZ, S., 1899.– O nowych i mało znanych gatunkach motyli fauny galicyjskiej. Przyczynek pierwszy.– *Sprawozdanie Komisyi Fizjograficznej*, **34**: 176-202.
- KLEMENCIEWICZ, S., 1901.– O nowych i mało znanych gatunkach motyli fauny galicyjskiej. Przyczynek drugi.– *Sprawozdanie Komisyi Fizjograficznej*, **35**: 78-101.
- KLEMENCIEWICZ, S., 1902.– O nowych i mało znanych gatunkach motyli fauny galicyjskiej. Przyczynek trzeci.–

- Sprawozdanie Komisji Fizjograficznej*, **36**: 40-76, 1 pl.
- KLEMENCIEWICZ, S., 1905.– O nowych i mało znanych gatunkach motyli fauny galicyjskiej. Przyczynek czwarty.– *Sprawozdanie Komisji Fizjograficznej*, **38**: 41-64.
- KLEMENCIEWICZ, S., 1906.– Lepidopterologische Beiträge aus Galicien.– *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, **56**: 160-173.
- KLEMENCIEWICZ, S., 1907.– O nowych i mało znanych gatunkach motyli fauny galicyjskiej. Przyczynek piąty.– *Sprawozdanie Komisji Fizjograficznej*, **40**: 3-31.
- KSENZHOPOLSKY, À., 1915.– Microlepidoptera okrestnosie Zhitomira, Volynskoi gubernii.– *Prilozhenie k Tomu 11 Trudov Obshchestva Issledovatelei Volyni*: 1-15. Denenman. S Zhitomir. [In Russian]
- LASTUKHIN, A. A., 2009.– Osenniy spektr liota babochek v del'te Volgi na territorii Astrakhanskogo zapovednika.– *Nauchnye Trudy Gosudarstvennogo zapovednika "Prisursky"*, **21**: 12-21. [in Russian]
- LAŠTŮVKA, Z. & LIŠKA, J., 2011.– *Annotated checklist of moths and butterflies of the Czech Republic (Insecta: Lepidoptera)*: 146 pp. Bicont Laboratory spol. s r.o., Brno.
- LEBEDEV, A. G., 1937.– Materiały do vyzchennja biotsenozu lystjanogo lisu (ch. 3).– *Zbirnyk prats' viddilu ekologii nazemnykh tvaryn*, 25-71. Vyadvnitsvo AN UkrSSR. Kyiv. [In Ukrainian]
- LJUBOMUDROV, I. S., 1917.– Materiały k faune listovertok i molei Kievskoi gubernii.– *Materiały k poznaniu fauny jugo-zapadnoi Rossii, izdavaemye Kievskim ornitologicheskim obshchestvom imeni K.E. Kesslera pod obshchei redaktsiei V.M. Artobolevskogo*, **2**: 34-46. [In Russian]
- NIELSEN, E. S. & TRAUGOTT-OLSEN, E., 1978.– Elachistidae (Lepidoptera) described by O. Staudinger, J. Mann and C. Mendes.– *Entomologist's Gazette*, **29**: 5-16.
- NOWICKI, M., 1860.– *Enumeratio Lepidopterorum Haliciae orientalis*: XXX + 269 pp. + XVI. + 1 pl. Instituti Stauropigiani, Leopoli.
- NOWICKI, M., 1865.– Beitrag zur Lepidopterenfauna Galiciens.– *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, **15**: 175-192.
- PARENTI, U., 1978.– Nouve specie paleartiche del Genere *Elachista* Treitschke (Lepidoptera, Elachistidae).– *Bulletino del Museo di Zoologia dell'Università di Torino*, **4**: 15-26.
- PARENTI, U., 1981.– Nouve specie di Elachistidi paleartici (Lepidoptera, Elachistidae). 1.– *Bulletino del Museo di Zoologia dell'Università di Torino*, **4**: 49-64.
- PARENTI, U., 1983.– Elachistidi del Giappone (Lepidoptera, Elachistidae).– *Bulletino del Museo Regionale di Scienze Naturali di Torino*, **1**(1): 1-20.
- PARENTI, U., 1991.– Elachistidae (Lepidoptera) from Mongolia.– *Bulletino del Museo Regionale di Scienze Naturali di Torino*, **9**: 209-215.
- PARENTI, U., 1996.– Elachistidae.– In O. KARSHOLT & J. RAZOWSKI (eds). *The Lepidoptera of Europe. A Distributional Checklist*: 68-73. Apollo Books. Stenstrup.
- PUPLESIS, R., SEKSJAeva, S., NOREIKA, R. & PUPLESIENE, J., 1992.– Some leaf-mining Lepidoptera from Aksu Dzhabagly Reserve (western Tian Shan) with the descriptions of four new species (Lepidoptera: Nepticulidae, Bucculatrigidae).– *Nota lepidopterologica*, **15**(1): 47-64.
- SCHILLE, F., 1930.– Fauna motyli Polski. II.– *Prace Monograficzne Komisji Fizjograficznej*, **7**: 358 pp. PAU. Kraków.
- SINEV, S. YU., 1992.– New species of the genera *Perittia* and *Stephensia* (Lepidoptera, Elachistidae) from Siberia and Far East.– *Vestnik Zoologii*, **1**: 3-9. [In Russian]
- SINEV, S. YU., 2008.– Elachistidae.– In S. YU. SINEV (ed.). *Catalogue of the Lepidoptera of Russia*: 58-61. KMK Scientific Press Ltd. Sankt-Petersburg-Moscow. [In Russian]
- SINEV, S. YU. & SRUOGA, V. A., 1992.– A new genus of Elachistid moths (Lepidoptera, Elachistidae) in the palaearctic fauna.– *Zoologicheskiy Zhurnal*, **71**(7): 153-155. [In Russian]
- SINEV, S. YU. & SRUOGA, V. A., 1997.– 29. Fam. Elachistidae - grass-mining moths.– *Opredelitel' nasekomykh Dal'nego Vostoka Rossii. 5. Rucheiniki tcheshuekrylye*: 491-502. Dal'nauka. Vladivostok. [In Russian]
- SOVINSKY, V. V., 1938.– Moli (Lepidoptera: Tineidae s. lat.) tsentralnoi tchastyy Kievskoi oblasti.– *Zbirnyk prats' Zoologichnogo Museju*: 21-22 (*Trudy Instituta Zoologii ta Biologii AN UkrSSR*), **19**: 3-95. [In Ukrainian]
- SRUOGA, V., 1990.– Seven new species of Elachistidae (Lepidoptera) from the USSR.– *Tijdschrift voor Entomologie*, **133**: 75-84.
- SRUOGA, V., 1991.– K faune zlakovych molei-minerov (Lepidoptera, Elachistidae) SSSR.– *Entomologicheskoe Oboszrenie*, **70**(2): 444-454. [In Russian]
- SRUOGA, V., 2000.– Three new species of *Elachista* Treitschke (Lepidoptera: Elachistidae) from Central Asia.– *Acta Zoologica Lithuanica*, **10**(2): 54-61.

- STÖKL, A., 1908.– Motyle (Lepidoptera) rzadce i nowe, zebrane w latach 1903 do 1907 w okolicach Lwowa, Janowa, Źółkwi, Miculiczyna, Zakopanego i t. d.– *Kosmos*, **33**(6): 287-302.
- STÖKL, A., 1922.– Motyle (Lepidoptera) rzadce i nowe, zebrane w latach 1911 do 1921 w okolicach Lwowa, Janowa, Miculiczyna i Worochty. Cz. 3.– *Polskie Pismo Entomologiczne*, **1**(2): 48-73.
- STÖKL, A., 1936.– Motyle rzadce i nowe, zebrane w latach 1926-1934 w okolicach Lwowa, Janowa i Worochty. Cz. 6.– *Sprawozdanie Komisji Fizjograficznej*, **70**: 101-109.
- SUGISIMA, K., 2005.– Japanese *Elachista* studied by Parenti (1983) (Lepidoptera, Elachistidae): the subgenus *Aphelosetia* and the *gleichenella*-, *tetragonella*-, and *bifasciella*-groups.– *Tijdschrift voor Entomologie*, **148**: 225-246.
- ŠUMPICH, J., 2013.– Faunistic records of some Microlepidoptera from Croatia.– *Entomologia Croatica*, **17**(1-4): 13-33.
- TOLL, S., 1936.– Badania nad narządami pleyowymi u *Pyrausta purpuralis* L. i *P. ostrinalis* Hb., tudzież opisu 11 nowych gatunków Microlepidoptera.– *Annales Musei Zoologici Polonici*, **11**(24): 403-413.
- WHITEREAD, S. E., 1984.– A new species of *Perittia* Stainton from Switzerland (Elachistidae).– *Nota lepidopterologica*, **7**(3): 271-281.
- ZHIKHAREV, I., 1928.– Shkidlyvi ta inshi luskokryltsi (Lepidoptera) Darnytskoi lisovoi doslidnoi dachi.– *Trudy z Lisovoi Doslidnoi Spravy na Ukrayini*, **9**: 231-330. [In Ukrainian].


*O. B.
Kiev National Taras Shevchenko University
Zoological Museum
Vladimirskaya str., 60
UA-01033 Kiev
UCRANIA / UKRAINE
E-mail: bidzilya@univ.kiev.ua
<https://orcid.org/0000-0001-9243-2481>

Yu. B.
Karadagh Nature Reserve
Ukrainian Academy of Sciences
p/o Kurortnoe
UA-Pheodosia 98188, AR Crimea,
UCRANIA / UKRAINE
E-mail: budashkin@ukr.net
<https://orcid.org/0000-0001-7824-8338>


A. Zh.
Zaporozhie Regional Center for Tourism and Local History of Students
Nemirovicha-Dancheko str., 46-a,
UA-69091 Zaporozhie
UCRANIA / UKRAINE
E-mail: a.zhakov@gmail.com
<https://orcid.org/0000-0002-8863-1995>

*Autor para la correspondencia / Corresponding author


(Recibido para publicación / Received for publication 29-IX-2014)
(Revisado y aceptado / Revised and accepted 28-I-2015)
(Publicado / Published 30-III-2016)




Figs. 1-11.- Adults. 1. *Elachista purella* Srugoga, 2000. 2. *Elachista grandella* Traugott-Olsen, 1992. 3. *Elachista spumella* Caradja, 1920. 4. *Elachista dumosa* Parenti, 1981. 5. *Elachista laurii* Bidzilya & Budashkin, sp. n. 6. *Elachista olschwangi* Kaila, 2003. 7. *Elachista* sp. pr. *olschwangi* Kaila, 2003. 8. *Elachista heringi* (Rebel, 1899). 9. *Elachista gormella* Nielsen & Traugott-Olsen, 1987. 10. *Elachista nolckenii* Šulcs, 1992. 11. *Elachista exigua* Parenti, 1978.



Figs. 12-17.— Adults. **12.** *Elachista littoricola* Le Marchand, 1938. **13.** *Biselachista contaminatella* (Zeller, 1847). **14-17.** Female genitalia. **14.** *Elachista purella* Srugga, 2000. **15.** *Elachista spumella* Caradja, 1920. **16.** *Elachista littoricola* Le Marchand, 1938. **17.** *Biselachista contaminatella* (Zeller, 1847).



Figs. 18-23.— Male genitalia. **18.** *Elachista parvula* Parenti, 1978. **19, 20.** *Elachista purella* Sruoga, 2000. **21.** *Elachista spumella* Caradja, 1920. **22.** *Elachista heringi* (Rebel, 1899). **23.** *Elachista olschwangi* Kaila, 2003.



Figs. 24-28.—Male genitalia. 24. *Elachista* sp. pr. *olschwangi* Kaila, 2003. 25. *Elachista laurii* Bidzilya & Budashkin, sp. n. 26. *Elachista nolckeni* Šulcs, 1992. 27. *Elachista littoricola* Le Marchand, 1938. 28. *Biselachista contaminatella* (Zeller, 1847).